Powerful Everyday Solutions


2026 Product Catalog

Energy Storage Solutions

High-Quality LED Lighting

Off-Grid Household Essentials

	Millertech Batteries	
	AGM Batteries	30
	Battery Accessories	31
	• Battery Chargers	2-36, 75
	Golf Cart Batteries	23
	Lithium Batteries	6-12
	Marine Cranking Batteries	. 24-26
	Sport Series Lithium	. 13-26
	Sprinter Brand Batteries	. 27-29
	LED Lighting	
	• 100W LED Work Lights	
	• 100W LED WORK LIGHTS	53
	4-Bay Battery Chargers	
	AC Dustproof LED Bulbs	50
	Beam Chandeliers	
	Commercial LED High Bays	. 60-61
	Cordless Chicken Coop Light with Timer	
	Cordless LED Floor Lamps	
	Cordless LED Wall-Lites	
	Cordless LED Worklights	
	Cordless LED Antique Lamps	64
	Curved LED Table Lamps	
	Farmhouse Hanging Lights	
	Flashlight Supplement Pack	
י ס	• Headlamp Bands & Clips	
	Headlamp Supplement Pack	45
	High Power LED Floodlights	56-57
)	• Lamp Harp	67
	Lamp Shades	
	LED Ceiling Lights	. 54-56
	LED Closet Lights	
	LED Select Ceiling Lights	55
	Luxury LED Headlamps	46
	Metal Bathroom LED Wall-Lite	70
	Maxxi-Star LED Bulbs	
	Maxxi-Star Select LED Bulbs	
7	Millertech Economy Lights	
	Millertech Flashlights	43-44
	Millertech Headlamps.	37-41
	Millertech LED Scooter Lights	. О. 12
	Millertech Strobe Lights	40
	Millertech Versa Lights	76
	Millertech Vintage LED Bulbs	/(
	Mini Arc Table Lamps	
	Modern LED Table Lamps	/ 1
	Motion Sensor Wall Lamps	00
	• Niitz-Licht & Shade	70
	Off-Road LED Bar Lights	/6
	• Plug & Play Motion Sensors	
	Portable LED Floodlights	62
	Rechargeable Batteries for Headlamps & Flashlights	. 44
	Recessed LED Light Fixtures	54
	Rechargeable LED Lanterns	54 . 74-75
	Rechargeable LED Lanterns     Tool Battery Night Lights	54 . 74-75 . 62, 79
	Rechargeable LED Lanterns     Tool Battery Night Lights 200W Inverters	54 . 74-75 . 62, 79
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits	54 . 74-75 . 62, 79 86
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits	54 . 74-75 . 62, 79 86
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items	54 . 74-75 . 62, 79 86 81-82
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items  Blenders	54 . 74-75 . 62, 79 86 81-82 94-95
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items  Blenders  Converters - DC to DC.	54 . 74-75 . 62, 79 86 81 81-82 94-95
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items  Blenders  Converters - DC to DC  Cordless Irons	54 . 74-75 . 62, 79 86 81-82 94-95 80
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items  Blenders  Converters - DC to DC  Cordless Irons  Cordless Mixers	5 <sup>4</sup> . 74-78 . 62, 79 86 81 81-82 94-98 108 108
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items  Blenders  Converters - DC to DC  Cordless Irons  Cordless Mixers  Cordless Vacuum Cleaner	5 <sup>4</sup> . 74-78 . 62, 78
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters	5 <sup>4</sup> . 74-78 . 62, 78 80 81-82 94-98 80 108 92-9 <sup>4</sup> 80
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters  A1 Circuits  Accessory Items  Blenders  Converters - DC to DC  Cordless Irons  Cordless Mixers  Cordless Vacuum Cleaner	5 <sup>4</sup> . 74-78 . 62, 78 80 81-82 94-98 80 108 92-9 <sup>4</sup> 80
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger	5 <sup>4</sup> . 74-78 . 62, 78
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger	
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger	
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers	
	Rechargeable LED Lanterns     Tool Battery Night Lights 200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories	
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC. Cordless Irons Cordless Mixers Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers	
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable)	
	Rechargeable LED Lanterns     Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech)	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers Tire Inflators	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers Tire Inflators. Tool & Battery Organizers	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers Tire Inflators. Tool & Battery Organizers USB Tool Adapters	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers Tire Inflators. Tool & Battery Organizers	
	Rechargeable LED Lanterns Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers Tire Inflators. Tool & Battery Organizers USB Tool Adapters	
	• Rechargeable LED Lanterns • Tool Battery Night Lights  200W Inverters A1 Circuits Accessory Items Blenders Converters - DC to DC Cordless Irons Cordless Mixers Cordless Vacuum Cleaner DC Converters DC Powered Cordless Tool Battery Charger Edison Inverter/Solar Charger Edison Power Inverters Essential Oil Diffusers Fans & Accessories Humidifiers/Diffusers Massagers (Rechargeable) Meat Grinders Personalized Laser Engraving Power Inverters (Millertech) Rechargeable Animal Clippers Rechargeable Hand Warmer Solar Charge Controllers Tire Inflators. Tool & Battery Organizers USB Tool Adapters Vacuum Sealers & Bags	



Warranty@Millertechenergy.com Accounting@Millertechenergy.com

Hours: Monday-Thursday 8-4 / Friday 8-3

Prices subject to change without notice. Millertech Energy Solutions LLC is not responsible for typographical errors in this catalog.

### Dear Valued Friends and Customers,

As we open the pages of this year's catalog, our hearts are full of gratitude for each and every one of you. The past year has been filled with incredible opportunities and shared successes, all made possible by your unwavering support and loyalty.

At Millertech, we're more than just a business; we're a family. And we feel incredibly blessed to have such a strong community of customers and dealers who are a part of that family. These relationships are the foundation of Millertech, and it's your trust and partnership that have helped us grow into what we are today.

Looking ahead, while we're excited to share our latest products with you, our greatest desire is to deepen our connections. We want to continue being your friends, building even stronger working relationships, and being a trusted part of your journey.

We believe that the most remarkable achievements in history have come from communities where people choose to work together. Thank you for being that community for us.

May God bless you all.

Warmly, The Millertech Team

#### About Us...

Established in 2015,
Millertech Energy Solutions is a family-owned and operated business that specializes in designing, developing, and sourcing high-quality LED lighting and energy storage products. Realizing the growing demand for efficient, clean and green energy solutions, our goal is to provide a wide range of high-quality products at the lowest price possible so we can meet these ever-growing demands.

#### **Our Vision**

Our vision is to cultivate a Christian workplace that upholds biblical principles in all aspects of its operations, fostering a positive and transformative impact on everyone we engage with.

#### **Our Mission**

Using our God given creativity and resources, we empower the people we serve with practical energy solutions and customer service they can depend on.

# Our Core Values



#### Stewardship

- We recognize everything we have – our resources, time, people, and finances – as gifts God has entrusted to us.
- We develop practical solutions that conserve everyone's time and energy.
- We nurture our relationships to increase our fruitfulness.
- We use the fruits of our labor to build the kingdom of God.



#### Community

- We work together through effective communication to accomplish our common goals.
- We support each other by celebrating our wins and helping each other fail forward.
- We primarily employ people from our community who share our work ethics, and values.
- We uphold ethical standards with all our vendors, and customers, ensuring transparency, and trust.



#### Commitment

- We serve our customer base by taking time to listen to them and ensure their needs are met.
- We delight our customers by under promising and over delivering every time.
- We develop and maintain thriving relationships with our team members, vendors and customers.
- We strive for loyalty with our customers by upholding our warranty policies and keeping our promises.



### **Excellence**

- We continuously improve our products and services.
- We display professionalism in our marketing and sales.
- We offer knowledgeable customer service via personal interaction.
- We develop our team members and provide them with resources they need for success.




# Creativity

- We encourage innovative thinking that empowers our people to solve problems.
- We make calculated decisions and view failure as an opportunity for growth and development.
- We collaborate as a team to experiment, create and produce quality products.
- We inspire vision for a better future.

All products manufactured and distributed by Millertech Energy Solutions have a warranty ranging from one year to 10 years. With Millertech you can rest assured, that if by chance, you have a warranty claim, it will be solved with an honest, understanding, hometown approach. Unlike a larger corporate company where you might be (just another customer)!

All defective products must be shipped to Millertech Energy Solutions LLC along with a copy of your purchase receipt. At our discretion, we may repair, replace or give credit for items returned under warranty. Tampering or abuse of product will void warranty coverage!





# **Top 5 Questions**

Asked by Millertech Customers



# Can I charge my Millertech battery with an alternator?

Yes, you can, but only if your alternator's max voltage output is 14.6V or below. We have found there is a big difference in voltage output from one alternator to the next. Many alternators have an external regulator where you can adjust the output voltage. When using an alternator with high amperage output, always make sure to use ring terminal connections in order to get good connections with no heat build up! If you want to use an alternator, but don't know if it is compatible with lithium, please call us and we will try to help you with your decision!

# Are Millertech lithium batteries safe?

Yes, Millertech lithium batteries are safe. Each and every Millertech battery is built using only the highest quality materials that are available. The lithium cells used in our batteries are UL, CE, Rohs, and RU approved, meaning they have successfully passed all safety testing. Including, but not limited to, steel rod, puncture test, dead short test, high voltage overcharge test, 30 ft. drop test, and crush test. Our batteries have been in fires (caused by other sources), and even though the plastic casing burned completely, our cells kept their shape and did not explode. All that being said, we still always encourage our customers to use caution and care when using a lithium battery. This is an electronic device that is capable of high electrical currents. The greatest chance of causing a problem will come from overcharging the battery. Our BMS system has a built-in overcharge protection that could fail in an extremely unlikely event, so it is important to use a charger that is compatible with lithium. If at any time you have questions about your current battery charger, please call us and we will help you evaluate your situation.

# Can Millertech lithium batteries be used to start an engine?

No, Millertech lithium batteries are not designed to be used in starting applications. Our batteries are designed to be used as a deep cycle lead-acid replacement. In certain small starting applications, we have successfully installed our 65Ah or larger batteries with good results. For example, small gas engines and boat motors 50HP or smaller. Or it is also convenient in some applications to connect 2 or 3 batteries in parallel to create the capability that is needed. If you have a starting application but are not sure if lithium is the right choice for you, please call us and we will help you make the correct decision!

Update for 2022! We are excited to announce that we now have a 100Ah starting battery available. We recommend this model for any starting application besides large diesel motors, (100HP or larger.)



# Are Millertech lithium batteries a good choice for solar applications?

Yes, Millertech lithium batteries are a perfect choice for solar, wind, and other renewable energy applications. Our batteries are completely sealed, meaning there is no harmful gassing and corroding, making them perfect for installing in a basement or other confined environments. Most people know a large, heavily used, flooded battery pack needs a lot of attention and continuous monitoring to keep water levels and corrosion in check. In turn, a Millertech LiFePO4 pack requires zero maintenance or monitoring. Simply install it, set it, and forget it. Millertech solar batteries have 5,000 cycles at 50% DOD, Flooded lead-acid (with correct care) have between 800 - 1,000 cycles. Millertech solar batteries have between 5x - 6x the life of a flooded solar battery, but only cost 4x the price, plus you only need to pay for installing one Millertech pack versus 5 or 6 lead-acid packs!

Efficiency: Millertech solar batteries are 98% efficient, meaning 98% of the energy collected by your panels is stored and is usable in the discharge stage. Flooded lead-acid after 100 cycles is only 60% efficient, meaning 40% of the energy collected is wasted! In conclusion, Millertech lithium batteries are the clear winner in solar applications. If you have questions about using Millertech lithium batteries for your solar application, please contact us for a free quote.

# How do Millertech lithium batteries compare with other lithium batteries?

This is a question that we feel can only be truly answered with time. We do not know what type or grade of materials other batteries are made with. We do know that most any lithium battery will perform OK for the first 500 cycles, but in order to perform perfectly for 5,000 cycles (at 50% DOD) and 10-20 years only the absolute best available components can be used in the manufacturing process. This is why Millertech does not buy an (off the shelf) lithium battery from just any Chinese supplier. When creating our Millertech brand in 2015, we soon realized how easy it is to buy a lithium battery from China. But finding one that could meet our requirements was not so easy, which is why we created our own specific spec sheet that states every component that we require to be used in building our batteries. We use only Grade A cells from the top three manufacturers in China. All Millertech batteries use commercial grade BMS's that are oversized by at least 20A. Meaning a 40Ah battery is only rated for 40A continuous charge and discharge but is actually capable of 60A! This, of course, costs us more, but the end result is a heavy duty, overbuilt, long-lasting product! All Millertech BMS's are specially designed with high voltage withstand capability, (100V), meaning our batteries can be connecting in series up to 48V with no chance of BMS failure. Our BMS's also have a larger balancing current rate than off the shelf BMS's, which will keep our batteries running at peak performance for thousands of cycles! In conclusion, we still have no way of truly comparing Millertech with any other brand, but rest assured when buying a Millertech battery, you are buying the best product we can possibly produce, with a 5 year free replacement warranty to back it up!

# Top 3 Reasons your Millertech Battery could fail. (5 Year Data Analysis)

- 1. Water Damage. The #1 reason batteries are sent back to us for warranty or repair is because of long term exposure to direct rain or wet conditions. We strive continuously to make our batteries more watertight. With this in mind, we still need to realize that creating a 100% waterproof battery would also create internal condensation and could also damage the circuitry. In our testing, we have found that exposing our battery to direct rain for up to 30 minutes had no effects on its performance. Long term exposure is where we see problems!
- 2. Abusive Charging. All our batteries have built-in Battery Management systems, also called PCB-printed circuit boards. The PCB is designed to keep the battery safe and protect it from extreme situations. Unfortunately this PCB still has restrictions of what it is capable of. Charging a 45Ah battery with a 100A, 18V alternator will most likely ruin the PCB and you will need to have it changed by a certified technician. Always make sure your charging source is lithium approved! If you're not sure, give us a call and we would be happy to help!
- 3. Loose Connections. Lithium batteries are capable of releasing a lot of energy very quickly. Most of the time this is an advantage. In some cases users might choose to use clamps instead of ring terminals. Transferring high currents through a clamp is not safe or recommended. The connection point can almost instantly become very hot and unsafe. These high temps can melt the plastic casing around the terminal and cause the battery terminal/post to become dislodged. This could create a short circuit and will most certainly ruin your battery. Always use correct connecting techniques. Using battery clamps is not recommended. Remember lithium batteries can store large amounts of energy and should always be treated with knowledge and respect!





# Yes, You

Millertech Intelligent Lithium-ion batteries can last up to

1000

longer than SLA batteries!

Lead Acid



AGM/Gel

Millertech Intelligent Lithium-ion Battery



#### **Lead Acid**

Voltage Change:

Cycle Life:

Calendar Life:

Usable Capacity:

Self-Discharge Rate/Month:

Fast Charging Performance:

Operating Temperature:

Weight:

Installation Direction:

Safety Performance:

Environmental Impact:

Gradually decreases

150 - 300 cycles

150 - 300 Cycles

Approx. 1-2 years

50-60%

About 30%

0.2C

-4° F to + 131° F, (-20° C to 55° C)

Heavy

Fixed

Boil and leak

Serious Pollution



#### Millertech LiFePO<sub>4</sub>

Keeps steady

> 3,000 cycles

Approx. 10 years

99%

1-3%

1C

-22° F to + 140° F, (-30° C to 60° C)

Light (1/3 of Lead Acid)

Any direction

Safe

Pollution-Free











# 12V12Ah 8D Replacement Battery

Item #402-R Retail: \$75.00





**CAPACITY** 12Ah

**VOLTAGE** 12.8V

WEIGHT 2.7 lbs.

SIZE 5.5" x 3" x 2.75"

**WARRANTY** 5 years

BMS:

Chemistry: LiFePO<sub>4</sub> 98% Efficiency:

Memory: None 14.6V Max Charge/Voltage:

Cut-off Voltage: 10.5V Max Charge/Discharge Current: 6A - 10A

**Output Connection:** 

32-120°F Operating Temp: **Connection Capability:** Single

> Cell Type: Cylindrical

5.5 x 2.5 mm Female Jack Barrel

# 12V12Ah Ultra Deep Cycle Lithium Battery

Item #1212L Retail: **\$108** 





CAPACITY 12Ah

**VOLTAGE** 12.8V

WEIGHT 3 lbs.

SIZE 6" x 4" x 4"

WARRANTY 5 years

BMS:

Chemistry: LiFePO<sub>4</sub> Efficiency: 98%

Memory: None **Low Battery Alarm** Yes Max Charge/Voltage: 14.6V **Cut-off Voltage:** 10.5V

Max Charge/Discharge Current: 12A Operating Temp: 32-130°F

**Connection Capability:** 4S - 4P Cell Type: Cylindrical

# 12V20Ah Ultra Deep Cycle Lithium Battery

Item #1220L Retail: **\$149** 



CAPACITY

20Ah

**VOLTAGE** 12.8V

WEIGHT 5.9 lbs.

SIZE

7.125" x 3.125" x 6.125"

**WARRANTY** 5 years

BMS: Chemistry:

Yes LiFePO<sub>4</sub> 98%

Efficiency: Memory: None **Low Battery Alarm** Yes

Max Charge/Voltage: 14.6V Cut-off Voltage: 10.5V

Max Charge/Discharge Current:

32-130°F Operating Temp: Yes

Low Temp Charging Protection: **Connection Capability:** 

Cell Type:

4S - 4P Cylindrical

20A





# 12V33Ah Ultra Deep Cycle Lithium Battery

Item #1233L Retail: **\$229** 



CAPACITY 33Ah

VOLTAGE 12.8V

WEIGHT 10 lbs. SIZE

7.75" x 5.25" x 7"

**WARRANTY** 5 years

BMS: Yes
Chemistry: LiFePO4
Efficiency: 98%
Memory: None
Low Battery Alarm: Yes
Max Charge/Voltage: 14.6V

Max Charge/ Discharge Current:

Cut-off Voltage:

Peak Discharge Current: 99A-1-2 sec.

Operating Temp:
Low Temp Charging Protection:

Connection Capability:

Cell Type: Cylindrical

10.5V

33A

32-130°F

4S - 4P



# 12V45Ah Ultra Deep Cycle Lithium Battery

Item #1245L Retail: **\$309** 



CAPACITY 45Ah

**VOLTAGE** 12.8V

WEIGHT 14.5 lbs.

**SIZE** 9" x 5.5" x 8.5"

**WARRANTY** 5 years

TY .

Efficiency: 98%

Memory: None

Low Battery Alarm: Yes

Max Charge/Voltage: 14.6V

Cut-off Voltage: 10.5V

BMS:

Chemistry:

Yes

LiFePO<sub>4</sub>

Max Charge/ Discharge Current:

Cell Type:

Peak Discharge Current: Operating Temp:

Low Temp Charging Protection: Connection Capability: 135A- 1-2 sec. 32-130°F

4S - 4P Cylindrical

Yes







# 12V45Ah Ultra Deep Cycle Lithium Battery with Cigarette Lighter Power Port

Item #1245L-CIG

Retail: **\$319** 



**CAPACITY** 45Ah

VOLTAGE 12.8V

WEIGHT

14.5 lbs.

**SIZE** 9" x 5.5" x 8.5"

WARRANTY

5 years

BMS: Chemistry:

Yes LiFePO<sub>4</sub>

Efficiency: 98%

Memory: None

Low Battery Alarm: Yes

Max Charge/Voltage: 14.6V

Cut-off Voltage: 10.5V

Max Charge/ Discharge Current: 45A

Peak Discharge Current: 135A-1-2 sec.

Operating Temp: 32-130°F

Low Temp Charging Protection: Yes

Connection Capability:

Cell Type: Cylindrical

4S - 4P



# 12V75Ah Ultra Deep Cycle Lithium Battery

Item #1275L

Retail: **\$549** 



CAPACITY

75Ah

VOLTAGE 12.8V

WEIGHT

20.3 lbs.

SIZE

10" x 6.5" x 8.5"

**WARRANTY** 

5 years

BMS:

Chemistry: LiFePO<sub>4</sub>

Efficiency: 98%
Memory: None

Low Battery Alarm: Yes

Max Charge/Voltage: 14.6V

Cut-off Voltage:

Max Charge/

Discharge Current: 75.

Peak Discharge Current: 22
Operating Temp: 32

Low Temp Charging Protection:

Connection Capability:

Cell Type:

225A- 1-2 sec.

32-130°F

Yes 4S - 4P

10.5V

Cylindrical







# 12V100Ah Ultra Deep Cycle Lithium Battery

Item #12100L Retail: **\$699** 



**CAPACITY** 100Ah

**VOLTAGE** 12.8V

WEIGHT 32 lbs.

SIZE

13" x 6.5" x 8.5"

WARRANTY 5 years

BMS: Chemistry:

Yes LiFePO<sub>4</sub>

Efficiency: 98% Memory: None

Low Battery Alarm: Yes Max Charge/Voltage: 14.6V Cut-off Voltage: 10.5V

Max Charge/ 100A Discharge Current:

Peak Discharge Current: 300A- 1-2 sec.

Operating Temp:

Low Temp Charging Protection: **Connection Capability:** 

Cell Type:

4S - 4P Cylindrical

32-130°F



# Which Size Battery Should I Buy?

Millertech Lithium-ion Battery	5W Maxxi Star Bulb	10W Maxxi Star Bulb	15W Maxxi Star Bulb	20W Maxxi Star Bulb	30W Maxxi Star Bulb	Buggy	Washing Machine	Spinner
Size			Hours of	Runtime			Loa	ads
12Ah	30	15	18.75	7.5	5	6	-	12
20Ah	52	26	17	13	9	10	5	20
33Ah	84	42	28	24	14	16	8	33
45Ah	115	57	38	28	19	22	12	45
65Ah	170	85	56	43	28	33	17	65
80Ah	208	104	70	52	35	40	20	80
100Ah	260	130	87	66	44	50	25	100
200Ah	320	260	174	132	88	100	50	200





5 years

CAPACITY



# 12V200Ah Ultra Deep Cycle Lithium Battery

Item #12200L Retail: **\$1,249** 



CAPACITY	BMS:	Yes	
200Ah	Chemistry:	LiFePO4	
VOLTAGE	Efficiency:	98%	
12.8V	Memory:	None	
WEIGHT	Low Battery Alarm:	Yes	
60.5 lbs.	Max Charge/Voltage:	14.6V	
SIZE	Cut-off Voltage:	10.5V	
19.5" x 10.5" x 9"	Max Charge/	150A	
WARRANTY	Discharge Current:	1004	

32-130 Operating Temp: Low Temp Charging Protection: 4S - 4P **Connection Capability:** 

Cell Type:

BMS: Yes

450A-1-2 sec.

Cylindrical

Peak Discharge Current:



# 12V300Ah Ultra Deep Cycle Lithium Battery

Item #12300L Retail: \$1,799



300Ah	Chemistry:	LiFePO4
VOLTAGE	Efficiency:	98%
12.8V	Memory:	None
	Low Battery Alarm:	Yes
WEIGHT 87 lbs.	Max Charge/Voltage:	14.6V
67 IDS.	Cut-off Voltage:	10.5V
<b>SIZE</b> 19.5" x 10.5" x 9"	Max Charge/ Discharge Current:	150A
WARRANTY	Peak Discharge Current:	450A- 1-2 sec.
5 years	Operating Temp:	32-130°F
	Low Temp Charging Protection:	Yes
	Connection Capability:	4S - 4P
	Cell Type:	Cylindrical
	Replacement for:	2 x L16 Lead Acid





# **Built-In Bluetooth Technology**

Bluetooth activated to connect directly to our Millertech App. The Millertech App gives you in depth, real-time data, taking the guessing game completely away. Power with Confidence!



# Easy, Drop-In Installation

Industry-standard sizes provide for installation in minutes. No retrofitting battery trays, no wondering if it will fit in your application. Just drop in, easy-connect and go!



# **Custom Molded Reclosable Case**

Custom molded, heavy duty, reclosable battery case provides for fast interior access. Integrated hold-down strap grooves in side corners keep straps securely in place.







# Breathable Marine Approved

Each battery is sealed with a thick rubber gasket along the lid connection point. A completely sealed battery case will cause condensation, so we build them with a marine grade Stainless Steel breather vent. Our vent sits on the top of the case unlike some others where the vent sits down inside catching rain and dirt.



Over charge, over discharge, internal over temperature, voltage, short circuit and prismatic cell protection. Your safety is always our priority. No poisonous lead, no acid, and no creating gas during charge like traditional lead-acid batteries.



# Robust Design for Longer Life

Robust yet lightweight, Millertech Sport Series Lithium Batteries can last up to 10X longer than AGM or lead-acid batteries. Never be stranded with a dead battery again!



# THE MILLERTECH® SPORT SERIES LITHIUM BATTERY 10 YEAR GUARANTEED WARRANTY IS SIMPLE!



# TERMS:

From the date of your battery purchase through year number 10 of ownership, your battery is covered. If it stops working during this time, we will repair or replace it with a battery of equal or greater value for FREE!



# SHIPPING:

We cover all shipping costs associated with shuttling your battery back and forth for repair or replacement. It is our warranty; it is our cost; not yours.



# **EXCLUSIONS:**

There are NONE! You trusted Millertech®, and if it's within the warranty period your Millertech® battery is completely covered for everything!



# PROOF OF PURCHASE:

You don't need one. If it's Millertech®, it's covered!







BMS:



# 12V15Ah Sport Series Lithium Battery with Bluetooth



Yes

Item #1215-BT Retail: **\$125** 







CAPACITY 15Ah

**VOLTAGE** 12.8V

**WEIGHT** 3.1 lbs.

SIZE 6" x 4" x 4"

**WARRANTY** 10 years

Chemistry: LFP Efficiency: 98% Memory: No Max Charge/Voltage: 14.6V **Cut-off Voltage:** 10.5V Max Charge/Discharge Current: Operating Temp: 32-130°F Low Temp Charging Protection: **Connection Capability:** 4S-4P Cell Type: Cylindrical Bluetooth: Peak Discharge Current: 45A - 3 Sec.



# 12V22Ah Sport Series Lithium Battery with Bluetooth



Yes

Item #1222-BT Retail: **\$169** 



Bluetooth 1

CAPACITY 22Ah

**VOLTAGE** 12.8V

WEIGHT 7.8 lbs.

SIZE

7.125" x 3.125" x 6.125"

**WARRANTY** 10 years

LFP Chemistry: Efficiency: 98% No Memory: Max Charge/Voltage: 14.6V Cut-off Voltage: 10.5V Max Charge/Discharge Current: 32-130°F Operating Temp: Low Temp Charging Protection: 4S-4P **Connection Capability:** Cell Type: Cylindrical

BMS:

Peak Discharge Current: 66A - 3 Sec.

Bluetooth:





# 12V40Ah Sport Series Lithium Battery with Bluetooth



Item #1240-BT Retail: **\$299** 





CAPACITY

40Ah

BMS: Yes LFP Chemistry: Efficiency: 98% Memory: No

Max Charge/Voltage: 14.6V VOLTAGE **Cut-off Voltage:** 10.5V 12.8V Max Charge/Discharge Current: 40A

WEIGHT Operating Temp: 32-130°F 14 lbs. Low Temp Charging Protection: Yes SIZE **Connection Capability:** 4S-4P 7.75" x 5.25" x 7.5" Cell Type: Prismatic

**WARRANTY** Bluetooth: Yes 10 years Peak Discharge Current: 120A - 3 Sec.

# Millert#ch

# 12V55Ah Sport Series Lithium Battery with Bluetooth



Item #1255-BT Retail: \$399



Bluetooth 1 CAPACITY 55Ah

**VOLTAGE** 12.8V WEIGHT 17.1 lbs.

9" x 5.5" x 8.5"

WARRANTY 10 years

LFP Chemistry: Efficiency: 98% Memory: No Terminals: 14.6V Max Charge/Voltage: Low Cut-off Voltage: 10.5V Max Charge/Discharge Current: Peak Discharge Current: 180A 32-130°F Operating Temp:

Cell Type: Prismatic Bluetooth:







# 12V100Ah Sport Series Lithium Battery with Bluetooth



Item #12100-G24 (Group Size 24) Retail: \$679



oth 🖊	Chemistry:	LFP
	Efficiency:	98%
	Memory:	None
	Terminals:	M8
Max	Charge/Voltage:	14.6V
Low	Cut-off Voltage:	10.5V
Max Charge/Dis	scharge Current:	100A
Peak Dis	scharge Current:	300A
	Operating Temp:	32-130°F
" x 8.35"	Cell Type:	Prismatic
,	Group Size:	24
	Bluetooth:	Yes
	Low Max Charge/Dis Peak Dis " x 8.35"	Efficiency: Memory: Terminals: Max Charge/Voltage: Low Cut-off Voltage: Max Charge/Discharge Current: Peak Discharge Current: Operating Temp: " x 8.35" Cell Type: Group Size:

Purchasing a battery with UL (Underwriters Laboratories) approval ensures that the product has undergone rigorous testing for safety and quality standards. This certification guarantees that the battery meets specific criteria for performance, construction, and safety, providing peace of mind to the consumer. In contrast, buying a battery without UL approval carries a higher risk of potential safety hazards and performance issues due to the lack of standardized testing and verification. Ultimately, investing in a UL-approved battery offers reliability, assurance, and protection against potential risks, making it a superior choice for consumers seeking quality and safety in their battery purchase.



# 12V560Ah Sport Series Lithium Battery with Bluetooth















Mount in your rod locker or anywhere you wish.

# 16V65Ah Sport Series Lithium Battery with Bluetooth



Item #1665-BT Retail: \$549



Bluetoo	th 7 Chemistry:	LFP
	Efficiency:	98%
CAPACITY	Memory:	None
65Ah	Terminals:	M8
VOLTAGE	Max Charge/Voltage:	18V
16V	Low Cut-off Voltage:	12.5V
WEIGHT	Max Charge/Discharge Current:	60A
25 lbs.	Peak Discharge Current:	60A
SIZE	Operating Temp:	25-131°F
13.75" x 6.5" x 5	5" Cell Type:	Prismatic
WARRANTY	Bluetooth:	Yes
10 vears		

Upgrade your marine electronics with the power of a 16V lithium battery, ensuring a clearer and longer-lasting experience.

**Optimized for Marine Electronics:** Maintains a stable operating voltage of 15V-16.8V throughout 95% of its discharge cycle, ensuring your sensitive electronics receive consistent power for crisper images and enhanced signal strength compared to traditional 12V systems.

**Exceptional Durability & Safety:** With an advanced battery management system that protects against overcharging/discharging, over-current, short-circuit, and high/low temperatures, it offers superior safety for marine applications.

Long Lifespan: With thousands of recharge cycles and years of maintenance-free operation, these batteries offer significant cost savings over lead-acid batteries.

Fast & Efficient Charging: Enjoy quicker recharge times compared to lead-acid batteries, getting you back on the water faster.

Integrated Bluetooth Monitoring: Monitor state of charge, voltage, cycle count and more from your smartphone via a dedicated app.

Broad Compatibility: Compatible with major marine electronics brands like Garmin, Humminbird, and Lowrance.





# 16V80Ah Sport Series Lithium Battery with Bluetooth





Bluetooth 🐐	Chemistry:	LFP
	Efficiency:	98%
	Memory:	None
CAPACITY 80Ah	Terminals:	M8
	Max Charge/Voltage:	18V
VOLTAGE	Low Cut-off Voltage:	12.5V
16V WEIGHT	Max Charge/ Discharge Current:	80A
26.55 lbs.	Peak Discharge Current:	80A
<b>SIZE</b> 10.23" x 6.61" x 8.35"	Operating Temp:	25-131°F
	Cell Type:	Prismatic
WARRANTY	Group:	24
10 years	Bluetooth:	Yes







# 24V50Ah Sport Series Lithium Battery with Bluetooth



Item #2450G24-BT Retail: **\$709** 



#### Bluetooth 1 LFP Chemistry: Efficiency: 98% Memory: None CAPACITY Terminals: 50Ah Max Charge/Voltage: 29V **VOLTAGE** Low Cut-off Voltage: 25.6V Max Charge/Discharge Current: 50A WEIGHT Peak Discharge Current: 180A - 3 sec 23.8 lbs. 32°-130°F Operating Temp: SIZE Cell Type: Prismatic 10.23" x 6.61" x 8.35" Group Size:



# 24V80Ah Sport Series Lithium Battery with Bluetooth

WARRANTY

10 years



Bluetooth: Yes

Item #2480-BT Retail: **\$1,099** 



Bluetooth	Yes	
Diactootii	Chemistry:	LFP
CAPACITY	Efficiency:	98%
80Ah	Memory:	None
VOLTAGE	Terminals:	M8
VOLTAGE 25.6V	Max Charge/Voltage:	29V
	Low Cut-off Voltage:	22V
WEIGHT 40 lbs.	Max Charge/Discharge Current:	80A
40 105.	Peak Discharge Current:	240A - 3 sec
SIZE	Low Temp Charging Protection:	Yes
13" x 6.75" x 9"	Operating Temp:	32°-130°F
<b>WARRANTY</b> 10 years	Cell Type:	4 Parallel Prismatic
	Group Size:	31
	Bluetooth:	Yes







# 36V50Ah Sport Series Lithium Battery with Bluetooth



Item #3650-BT Retail: **\$999** 





CAPACITY

**VOLTAGE** 38.4V

50Ah

WEIGHT 33 lbs.

13" x 6.75" x 9"

**WARRANTY** 10 years

BMS: Yes

LFP Chemistry:

Efficiency: None Memory:

150A

Max Charge/Voltage: 43.2V

> Peak Discharge: **Cut-off Voltage:** 33V

Max Charge/Discharge Current:

Operating Temp: 32°-130°F

**Low Temp Charging Protection:** 

Prismatic Cell Type:

Group Size:

Bluetooth: Yes

# Miller tich

# 36V60Ah Sport Series Lithium **Marine Trolling Battery with Bluetooth**



Item #3660-BT Retail: \$1,199



**| | |** 1973



# Bluetooth 1

CAPACITY 60Ah

**VOLTAGE** 38.4V

WEIGHT 41 lbs.

SIZE 13" x 6.75" x 9"

**WARRANTY** 10 years

LFP Chemistry: Efficiency: 98%

> Memory: None

Terminals: M8

43.2V Max Charge/Voltage: Low Cut-off Voltage:

Max Charge/Discharge Current: 60A

Peak Discharge Current: 180A Low Temp Charging Protection: Yes

> **Charging Temp:** 32°-130°F

**Discharging Temp:** 0°-130°

> Cell Type: Prismatic

Bluetooth:

**Group Size:** 





# 36V60Ah Sport Series Heated Lithium **Marine Trolling Battery with Bluetooth**







# Bluetooth 4

CAPACITY 60Ah

**VOLTAGE** 

38.4V

WEIGHT

41 lbs.

SIZE 13" x 6.75" x 9"

WARRANTY

10 years

Chemistry: LFP 98% Efficiency: Memory: None Terminals: M8 Max Charge/Voltage: 43.2V Low Cut-off Voltage: 33V Max Charge/Discharge Current: 60A Peak Discharge Current: Low Temp Charging Protection: **Charging Temp:** 0°-130°F 0°-130° **Discharging Temp:** Cell Type: Prismatic Group Size: 31 Bluetooth:













LFP



48V50Ah Sport Series Lithium **Golf Cart Battery with Bluetooth** 



# Bluetooth 1

CAPACITY 50Ah

**VOLTAGE** 

51.2V

WEIGHT

46 lbs.

SIZE

11" x 7" x 12"

WARRANTY

10 years

Efficiency: 98% Memory: None Terminals: M8 Max Charge/Voltage: 57.6V Low Cut-off Voltage: Max Charge/Discharge Current: 50A Peak Discharge Current: 200A - 10 sec 32°-130° **Charging Temp: Discharging Temp:** 0°-130° Cell Type: Prismatic

Chemistry:

Fuel Gauge: Yes Bluetooth:

GC2

Group:



GO-JUICE!

THE RELENTLESS LITHIUM POWER YOU NEED



# 12V100Ah Dual Purpose Marine Cranking Battery with Bluetooth





Chemistry: LFP



# Bluetooth 1

,		
	Efficiency:	98%
CAPACITY	Memory:	None
100Ah	Terminals:	M8
VOLTAGE	Max Charge/Voltage:	14.6V
12.8V	Low Cut-off Voltage:	10.5V
WEIGHT	Max Charge/Discharge Current:	100A
31 lbs.	Cold Cranking Amps (CCA):	1000A
SIZE	Operating Temp:	32°-130°
10.23" x 6.61" x 8.35"	Cell Type:	Prismatic
WARRANTY	Group Size:	24
10 years	Bluetooth:	Yes





# 12V100Ah Dual Purpose Heated Cranking Battery with Bluetooth











# Bluetooth **1**

CAPACITY 100Ah

VOLTAGE 12.8V

WEIGHT 31 lbs.

SIZE

10.23" x 6.61" x 8.35"

WARRANTY

10 years

Chemistry: LFF

Efficiency: 98%

Memory: None

M8

Terminals:

Max Charge/Voltage: 14.6V

Low Cut-off Voltage: | 10.5V

Max Charge/Discharge Current: 100A

Cold Cranking Amps (CCA): 1000A

Operating Temp: 0°-130°

Cell Type: Prismatic

Group Size: 2

Bluetooth: Yes

# Miller*tich*











# Bluetooth 1

CAPACITY

135Ah

VOLTAGE 12.8V

WEIGHT 33 lbs.

SIZE

13" x 6.75" x 9"

**WARRANTY** 10 years

LFP Chemistry: Efficiency: 98% None Memory: Terminals: M8 Max Charge/Voltage: 14.6V 10.5V Low Cut-off Voltage: Max Charge/Discharge Current: 135A Max Charge/Discharge Current: 135A Cold Cranking Amps (CCA): 1500A 32°-130° **Operating Temp:** Cell Type: Prismatic

Group Size: 31

Bluetooth: Ye





# 12V135Ah Dual Purpose Heated **Cranking Battery with Bluetooth**









# Bluetooth 1

CAPACITY 135Ah

**VOLTAGE** 12.8V

**WEIGHT** 33 lbs.

SIZE

13" x 6.75" x 9"

WARRANTY 10 years

Chemistry: LFP Efficiency: 98% Memory: None Terminals: M8 Max Charge/Voltage: 14.6V Low Cut-off Voltage: 10.5V 135A Max Charge/Discharge Current: Max Charge/Discharge Current: 135A Cold Cranking Amps (CCA): 1500A **Operating Temp:** 0°-130° Cell Type: Prismatic Group Size: 31 Bluetooth:



# 12V190Ah Dual Purpose Marine **Cranking Battery with Bluetooth**





Item #12190-DP Retail: **\$1,299** 



Bluetooth 1

CAPACITY 190Ah

**VOLTAGE** 12.8V

**WEIGHT** 42 lbs.

SIZE

13" x 6.75" x 9"

**WARRANTY** 10 years

Chemistry: Efficiency: 98% Memory: None Terminals: M8 Max Charge/Voltage: 14.6V Low Cut-off Voltage: 10.5V Max Charge/Discharge Current: 190A Cold Cranking Amps (CCA): 1500A 32°-130° Operating Temp:

Cell Type: Prismatic Group Size: Bluetooth:

**UL Certified Batteries** 













Designed by Millertech for customers looking for a lower-cost lithium battery option

# 12V50Ah SPRINTR Deep Cycle Lithium Battery

Item #1250SP Retail: \$199.99



Convenient State of Charge Meter



CAPACITY

50Ah

12V

WEIGHT

13.7 lbs.

9" x 5.5" x 8.5"

WARRANTY

SIZE

3 years



Available While Supplies Last!

LiFePO<sub>4</sub> Chemistry: Efficiency: 98%

Memory: None Terminals: M8

Max Charge/Voltage: 14.6V **Cut-off Voltage:** 10.5V

Max Charge/Discharge Current: 50A

> Peak Discharge Current: 150A - 5 sec. **Charging Temp:** 32-120°F

**Discharging Temp:** 0-130°F Cell Type: Prismatic

LiFePO<sub>4</sub>

98%

None



# 12V100Ah SPRINTR Deep Cycle Lithium Battery

Item #12100SP Retail: \$359.99



Convenient State of Charge Meter



CAPACITY 100Ah

**VOLTAGE** 12V

WEIGHT

25 lbs.

SIZE



Available While Supplies Last!

Terminals: M8 Max Charge/Voltage: 14.6V Cut-off Voltage: 10.5V

Chemistry:

Efficiency:

Memory:

Max Charge/Discharge Current: 100A Peak Discharge Current: 300A - 5 sec.

> **Charging Temp:** 32-120°F 0-130°F **Discharging Temp:**

> > Cell Type: Prismatic Group Size:

3 years

WARRANTY

13" x 6.5" x 8.5"

**VOLTAGE** 

WEIGHT

13" x 6.5" x 8.5"

WARRANTY

25 lbs.

SIZE

12V

# SPRINT

# 12V190Ah SPRINTR Deep Cycle Lithium Battery

Item #12190SP Retail: \$699.99 Due to limited space the 190Ah does not have a meter



CAPACITY 190Ah



Available While Supplies Last!

Efficiency: 98% Memory: None Terminals:

Chemistry:

M8 Max Charge/Voltage: 14.6V 10.5V

190A

LiFePO<sub>4</sub>

Cut-off Voltage: Max Charge/Discharge Current:

> Peak Discharge Current: 500A - 5 sec. **Charging Temp:** 32-120°F

**Discharging Temp:** 0-130°F Cell Type: Prismatic

Group Size:

3 years



**SAME** high performance lithium technology

**SAME** affordable prices that you have come to expect from Millertech

**SAME** quality and care goes into every battery

**SAME** customer service and trust that Millertech is known for



**SAME** no-hassle, three-year warranty

# Miller Lich 12V20Ah SPRINT Deep Cycle Lithium Battery





CAPACITY 20Ah **VOLTAGE** 12.8V WEIGHT 4.84 lbs. SIZE 7.2" x 3" x 7" WARRANTY

3 years

Efficiency: Memory: Terminals: Max Charge/Voltage: Low Cut-off Voltage:

Chemistry: 98% None M5 14.5V 10.5V

LiFePO4 Max Charge/Discharge Current: **Peak Discharge Current: Operating Temp:** 

32°-130° Cell Type: Prismatic Bluetooth: No

20A

60A

# Millertich 12V40Ah SPRINT Deep Cycle Lithium Battery

YFAR

WARRANTY





CAPACITY 40Ah **VOLTAGE** 12.8V WEIGHT 8.14 lbs. SIZE

7.75" x 5.25" x 7.25' WARRANTY 3 years

Chemistry: Efficiency: 98% Memory: None M6 Terminals: Max Charge/Voltage: 10.5V Low Cut-off Voltage: 10.5V

WARRANTY

LiFePO4 Max Charge/Discharge Current: 120A **Peak Discharge Current:** Operating Temp: 32°-130° Cell Type: Prismatic Bluetooth:

# Miller Lich 12V55Ah SPRINT Deep Cycle Lithium Battery

Item #1255-SP Retail: \$219.99



CAPACITY 55Ah **VOLTAGE** 12.8V WEIGHT 12.92 lbs.

9" x 5.75" x 8.75" WARRANTY 3 years

Chemistry: 98% Efficiency: None Memory: Terminals: M6 Max Charge/Voltage: 14.5V Low Cut-off Voltage: 10.5V

LiFePO<sub>4</sub> Max Charge/Discharge Current: **Peak Discharge Current:** 

180A 32°-130° **Operating Temp:** Cell Type: Prismatic Bluetooth: No

50A

# Millert Lithium Battery

Item #12100-SP24 Retail: \$379.99



# CAPACITY

100Ah **VOLTAGE** 12.8V WFIGHT 26.5 lbs. SI7F 10.23" x 6.61" x 8.35 WARRANTY

3 years

Chemistry: Efficiency: 98% Memory: None Terminals: M8 Max Charge/Voltage: 14.5V Low Cut-off Voltage: 10.5V

LiFePO4 Max Charge/Discharge Current: **Peak Discharge Current:** Operating Temp:



Cell Type: Prismatic Group Size: 24 Bluetooth: No

100A

300A

32°-130°

# Miller LECH 12V190Ah SPRINT Deep Cycle Lithium Battery

Item #12190-SP



#### CAPACITY 190Ah **VOLTAGE** 12.8V

WEIGHT 25 lbs. SIZE 13" x 6.5" x 8.5" WARRANTY 3 years

Chemistry: Efficiency: 98% None Memory: Terminals: M8 Max Charge/Voltage: 14.5V Low Cut-off Voltage: 10.5V

LiFePO4 Max Charge/Discharge Current: **Peak Discharge Current:** Operating Temp:



32°-130° Cell Type: Prismatic Group Size: 31 Bluetooth: No

150A

300A



Item #12400-SP Retail: \$1,399.99



CAPACITY 400Ah **VOLTAGE** 12.8V **WEIGHT** 114 lbs. SIZE

19.5" x 10.5" x 9" WARRANTY 3 years

Chemistry: Efficiency: 98% Memory: None Terminals: M8 Max Charge/Voltage: 14.5V Low Cut-off Voltage: 10.5V

LiFePO4 Max Charge/Discharge Current: 200A **Peak Discharge Current:** 150A Operating Temp: 32°-130° Cell Type:



Prismatic Bluetooth:

# Millertich 24V80Ah SPRINT Deep Cycle Lithium Battery

Item #2480-SP Retail: \$599.99



CAPACITY 80Ah **VOLTAGE** 25.6V WEIGHT 40 lbs. SIZE

13" x 6.75" x 9" WARRANTY 3 years

Chemistry: Efficiency: 98% Memory: None Terminals: M8 Max Charge/Voltage: 29 2V Low Cut-off Voltage: 22V

80A LiFePO4 Max Charge/Discharge Current: **Peak Discharge Current:** 240A Operating Temp: 32°-130° Cell Type: Prismatic 3 Group Size: YEAR

Bluetooth:

No



# **Sealed Lead-Acid Batteries**

Millertech (AGM) Batteries are designed to be deeply discharged and recharged hundreds of times. They are designed and built differently than traditional flooded batteries. Millertech AGM Batteries are sealed lead-acid batteries made with Absorbed Glass Mat (AGM) technology. The electrolyte is absorbed into the fiber separator material rather than in free-flowing liquid form. They use more lead, heavier plates and other proprietary materials that enable them to deliver more power and capacity over many life cycles.

# 12V20Ah AGM Battery

Item #20AGM Retail: \$55.00

CAPACITY: 20Ah

**VOLTAGE: 12V** 

WEIGHT: 13 lbs.

**SIZE**: 7" x 3" x 6.5"

WARRANTY: 1 year

Cycles:

600-800

Yes

Sealed/Non-spillable:

Item #75AGM

Retail: **\$179** 

12V75Ah AGM Battery

**CAPACITY:** 75Ah

**VOLTAGE: 12V** 

WEIGHT: 53 lbs.

**SIZE:** 10" x 6.5" x 8"

\$10.00 **Shipping** Upcharge

WARRANTY: 1 year

600-800 Cycles:

Sealed/Non-spillable:

# 12V35Ah AGM Battery

Item #35AGM

Retail: \$88.00

CAPACITY: 35Ah

**VOLTAGE: 12V** 

WEIGHT: 22 lbs.

**SIZE:** 7.5" x 5" x 6.5"

WARRANTY: 1 year

Cycles:

600-800

Sealed/Non-spillable:

### Item #100AGM

Retail: \$249



CAPACITY: 100Ah

**VOLTAGE: 12V** 

WEIGHT: 70 lbs. **SIZE:** 13" x 6.5" x 8"

\$10.00 Shipping Upcharge

WARRANTY: 1 year

Sealed/Non-spillable:

600-800

# 12V55Ah AGM Battery

Item #55AGM Retail: **\$138** 



**CAPACITY: 55Ah** 

**VOLTAGE: 12V** 

WEIGHT: 38 lbs.

**SIZE:** 9" x 5.5" x 8"

WARRANTY: 1 year

Cvcles:

600-800

Sealed/Non-spillable:

Yes

# 12V200Ah AGM Battery

12V100Ah AGM Battery

Item #200AGM Retail: \$429



CAPACITY: 200Ah

**VOLTAGE: 12V** 

WEIGHT: 136 lbs.

**SIZE:** 20" x 9.5" x 9"

WARRANTY: 1 year

Cvcles: 600-800

Yes Sealed/Non-spillable:

Freight

Only

Ships Truck

# Millert#ch

# **Battery Accessories**

Inside Dimensions: 10.25" x 6.75"



Inside Dimensions: 13.25" x 6.75"

### **Battery Tray Group 24**

Item #G24 Retail: \$49.99

# **Battery Tray Group 31**

Item #G31 Retail: \$59.99

- · Heavy duty construction
- 1/8" aluminum is more durable, lighter than steel
- Excellent shock absorption thick foam padding

# **AC-DC Clamp Meter**



Designed to measure AC/DC current, AC/DC voltage, resistance and capacitance with very high accuracy. With a convenient clamp design you can easily clamp it over any wire and quickly get an accurate amperage reading. This is a must-have for everyone including solar installers, electricians & the average home owner.

 Display Count
 2000

 Auto Power Off
 Yes / 15 min.

 Power
 2X AAA Battery

 AC/DC Current
 2A/20A/100A

 AC/DC Voltage
 2V/20V/200V/600V

Resistance & Capacitance Testing



# Fuel Gauge

Item #211 Retail: \$14.99

Voltage Compatible

12V-24V-36V-48V

**Battery Types** 

Lead Acid - Lithium

**Voltage Readout** 

Yes

Percentage Readout

Yes

**Mounting Hole** 

Rectangle



Item #211-M Retail: \$12.00

- Compatible w/12-24-48V LiFePO<sub>4</sub> batteries
- Voltage reading
- Accurate percentage reading for LiFePO<sub>4</sub>
- Mounting hole = rectangle



## **Digital Volt Meter**

Item #206-B (Blue) Item #206-G (Green) Item #206-R (Red)

Retail: **\$9.99** 

# **50A GEN Connector**



Item #197 Retail: \$4.50



#### **50A GEN Connector**

with 12" 6 AWG Wire Leads and 3/8" Ring Terminals

Item #229 Retail: \$10.00

# Dual USB Charge Socket



Item #204 Retail: \$6.99

# Power Distribution Blocks



Item #124-BLK Retail: \$39.99 per set

This set of high quality distribution blocks are custom machined to work well with most Millertech batteries. At last no more stacking ring terminals to create an ugly cobweb of wires. Get organized today!

# **Lithium Battery Terminals - 8mm**



Item #212 Retail: **\$9.99** per set

# AGM Battery Forminals - 6mm



Item #213 Retail: **\$9.99** per set

# Copper Jumper Clamp Set



Item #187 (500A) Retail: **\$15.00** Item #188 (1000A) Retail: **\$24.00** 

# 50A Nickel Plated Clamps



Item #201

Retail: **\$3.99** per set

# 100A Pure Copper Heavy Duty Clamps



Item #200 Retail: **\$5.99** per set

# Clamp Set

with Female Cigarette Plug and 15A Fuse 14AWG Wire



Item #215-HD Retail: \$8.00





# **Electric Lithium Battery Chargers**

#### 12V4A AC-DC Charger

Item #124AC-8D Retail: \$40.00

- For use with 8D replacement batteries
- 5.5 x 2.5mm output plug



Input Voltage **Output Voltage Output Current** 2 Stage Charging Fuse

14.6V No

100-130V AC

#### 12V5Ah Charger

Item #125C Retail: \$49.99



Input Voltage 110V AC 14.6V **Output Voltage** Output Current 5A 2 Stage Charging Yes

# 12V10Ah Charger

Item #1210C Retail: \$69.99



Input Voltage 110V AC 14.6V Output Voltage **Output Current** 10A 2 Stage Charging Yes

# 12V20A Charger

Item #1220C Retail: \$99.00



Input Voltage Output Voltage Output Current 2 Stage Charging

110V AC 14.6V 20A Automatic

12V40A Charger

Item #1240C Retail: \$199



110V AC Input Voltage Output Voltage 14.6V Output Current 2 Stage Charging Fuse

40A Automatic



Built-in mounting flanges for your convenience!





# **Electric Lithium Battery Chargers**

# 24V10A Charger

Item #2410C Retail: **\$99.00** 



Input Voltage 110V AC Output Voltage 29 2V **Output Current** 10A 2 Stage Charging Yes Fuse Automatic

# 24V30A Charger

Item #2430C Retail: \$199



110V AC Input Voltage **Output Voltage** 29.2V Output Current 30A 2 Stage Charging Automatic Fuse



48V

# **Electric Lithium Battery Chargers**

#### 48V18A Charger

Item #4818C Retail: \$199

Input Voltage 110V AC **Output Voltage** 58.4V **Output Current** 18A 2 Stage Charging Fuse Automatic







# **Lithium Battery Chargers**

#### 12V3A DC-DC Charger

Item #123DC-8D Retail Price = \$40.00



Input Voltage 10-30V DC **Output Voltage** 14.6V DC **Output Current** ЗА 2 Stage Charging

- For use with 8D replacement batteries 5.5 x 2.5mm output plug

## 12V10A DC-DC Charger

Item #1210DC-DC Retail: \$78.00



Input Voltage 10-30V DC 14.6V DC **Output Voltage Output Current** 10A 2 Stage Charging Fuse Yes

## 12V20A DC-DC Charger

Item #1220DC-DC Retail: **\$129** 



11.5-30V DC **Input Voltage Output Voltage** 14.5V DC **Output Current** 2 Stage Charging Yes Fuse Yes



# **Commercial 4-Bank Charger**

Item #DC4-8D Retail: \$240

- · Built-in mounting flanges
- · Built-in LED indicator lights
- Includes a 5 ft. input power cable with 50A Anderson connector and ring terminals

Input Voltage | 11-30V DC Output Voltage | 14.5V 3A x 4



Charges up to 4 x 8D Rechargeable Batteries or Lanterns at one time!









#### 12V20A Charger

Item #1220M Retail: **\$139** 

#### 16V15A Charger

Item #1615M Retail: **\$139** 

#### 24V15A Charger

Item #2415M Retail: **\$159** 

#### 36V15A Charger

Item #3615M Retail: **\$179** 

### 48V12A Charger

Item #4812M Retail: **\$179** 

Input Voltage 58V

Output Current 12A

Waterproof IP65

Dimensions 8" x 5.5" x 5"

Warranty 3 Years



Millertech IP65 waterproofrated lithium battery chargers are designed to permanently mount in your boat.



#### 24V35A Charger

Item #2435M Retail: **\$299** 

Input Voltage 110V AC
Output Voltage 29V
Output Current 35A
Waterproof IP65
Dimensions 11" x 3" x 7"
Warranty 3 Years

## 36V25A Charger

Item #3625M Retail: **\$299** 

Input Voltage 110V AC
Output Voltage 43.5V
Output Current 25A
Waterproof IP65
Dimensions 11" x 3" x 7"
Warranty 3 Years

## 48V25A Charger

Item #4825M Retail: **\$299** 

Input Voltage 110V AC
Output Voltage 58V
Output Current 25A
Waterproof IP65
Dimensions 11" x 3" x 7"
Warranty 3 Years





All Marine Chargers come standard with 50A Anderson Quick Connectors!







# **Dual-Bank Lithium Battery Chargers**

Dark Speed "On-The-Run" Dual-Bank LiFePO<sub>4</sub> Battery Charger The Dark Speed "On The Run" charger offers an advantage over traditional charging methods by allowing you to recharge your auxiliary lithium battery bank directly from your motor's alternator while diverting extra power directly to your 24V or 36V battery. 12V Cranking and **24V Trolling Battery** Item #DS24 Retail: \$599.99 90-130V AC Input Voltage 650W **AC Power Draw** Output 1 14.5V - 15A Output 2 28.8V - 15A Start Transfer Voltage 14V Stop Transfer Voltage 13.3V Waterproof **Dimensions** 10.75" x 7.75" x 3.5" 13.8 lbs. Weight Warranty 3 Years

# 12V Cranking and 36V Trolling Battery

Item #DS36 Retail: \$599.99

Input Voltage	90-130V AC
AC Power Draw	857W
Output 1	14.5V - 15A
Output 2	42.6V - 15A
Start Transfer Voltage	14V
Stop Transfer Voltage	13.3V
Waterproof	IP65
Dimensions	10.75" x 7.75" x 3.5"
Weight	13.8 lbs.
Warranty	3 Years

# Dark Speed "On The Run" vs. traditional lithium battery charging methods

DARK SPEED	TRADITIONAL			
Charging speed and efficiency				
Enables fast and continuous charging of your whole lithium battery system while your motor is running. This eliminates downtime associated with traditional charging methods and keeps your equipment ready for extended use.	Often require longer charging times since no power is being distributed throughout the day.			
Power source and convenience				
Utilizes your vehicle's alternator as the power source, providing convenient and fast charging whenever you're on the move. This eliminates the need for daily shore power hookups, generators, or external power sources.	Rely on external power sources or separate charging units often limiting your day on the water to less than 10 hours.			
Flexibility and freedom				
It lets you stay out on the water longer without worrying about power depletion. You're no longer tethered to a fixed power source.	Can be restrictive, requiring you to use a generator for daily recharging.			



# Marine Dual-Bank LiFePO<sub>4</sub> Battery Charger

Charge your 12V house/starting battery and your 24V or 36V trolling motor battery at the same time with one charger.

# 12V Cranking and **24V Trolling Battery**

Item #1210-2415 Retail: \$429

80-120V AC 60Hz Input Voltage 14.5V - 10A Output 1 28V - 15A Output 2 **Dimensions** 11" x 7.75" x 3.5"

> 3 Years Warranty

# 12V Cranking and **36V Trolling Battery**

Item #1210-3615 Retail: \$429

**Input Voltage** 80-120V AC 60Hz 14.5V - 10A Output 1 Output 2 43.2V - 15A 11" x 7.75" x 3.5" **Dimensions** 

> 3 Years Warranty





# Four-Bank Lithium Battery Charger



Millertech Marine Four-Bank LiFePO<sub>4</sub> **Lithium Battery Charger** 

Item #1210-4 Retail: \$429

80-120V AC 60Hz Input Voltage

40A = 10Ax4**Output Power** (independent)

**Output Voltage** 14.5V

> **Dimensions** 11.5" x 6.25" x 2.75"

**LED Indicator Specs** 

Fully charged or No connection Green

Normal charging Red

Waterproof rating Over voltage output protection Short circuit protection Reverse polarity protection

**Protection Specs** 

IP67 Yes

Waterproof - Designed to

# 10 Millertzch Anniversary Edition 555-MAX

This unique 10-Year Anniversary Headlamp is only available in satin nickel while supplies last!



# 10th Anniversary 555-MAX Rechargeable LED Headlamp



### Powered by a Millertech Exclusive High-Capacity 3,500 mAh Li-ion Battery

Millertech celebrates its 10th anniversary of supplying high-MAX Item #555-MAX Retail: \$59.99 performance, ultra-durable LED headlamps with this special limited edition 1,500 lumen ultra-bright headlamp in a satin nickel finish. Lumens **Ultra-Bright** • 1,000+ recharges 2,200 • 2,200 lumen burst MAX · Lightweight military-grade aluminum LUMEN · Built-in fuel gauge Quality · Smooth dimming with smart memory **BURST** · Five year warranty WARRANTY MAX Lightning Toughness Fast USB-C Charging Details on

Page 110



# **SPORTSTER Rechargeable Millertech LED Headlamp**

Item #569 Retail: \$55.95









Loaded with all the same features as the 556-2nd. In addition, the Sportster can use red and green lens with beam distance that reaches up to 50% further!

- · Military-grade aluminum
- Sleek / slim / lightweight
- Smooth dimming (5-100%)
- Smart mode memory
- · Built-in fuel gauge
- 750 lumens
- Max runtime: High = 4.5 hrs, Low = 100 hrs
- High capacity Millertech Li-ion battery



"One of our most requested features to add to a headlamp have been a tighter spot with a longer beam distance and a red lens that will not spook wildlife and chickens. The Sportster headlamp has both of these features built in and ready for you to enjoy!"















# **Rechargeable Millertech LED Headlamp**

Item #568-LT Retail: \$50.00









Page 110


that you are lighting up look true to their original color! · Simple 1 Press ON and 1 Press OFF • Remaining battery life indicator

Brand New "True-View Technology" by Millertech! The Dutch

Bully features a special 4000K LED chip making the objects

- · Built extra heavy-duty for maximum user life
- 500 lumens
- Max runtime: High = 6 hrs, Low = 120 hrs





Personally, I enjoy a headlamp that is loaded with functions and options, however, for a man trying to get his chores done, he simply needs a Dutch Bully headlamp that works! So here it is! Plus at an affordable price of only \$50.00 while including a lifetime warranty!





All Millertech headlamps are packaged in high-quality full-color boxes with a display hanger!





# 555 Double Power (2nd Gen) Rechargeable Millertech LED Headlamp

Item #555-2nd Retail: \$55.95



- · Military-grade aluminum
- · Sleek / slim / lightweight
- Smooth dimming (5-100%)
- Smart mode memory
- Built-in fuel gauge
- 1800 lumens
- Max runtime: High = 2.5 hrs, Low = 100 hrs
- · High capacity Millertech Li-ion battery



















# 556 High Power (2nd Gen) Rechargeable Millertech LED Headlamp

Item #556-2nd Retail: \$49.99



- · Military-grade aluminum
- · Sleek / slim / lightweight
- Smooth dimming (5-100%)
- Smart mode memory
- Built-in fuel gauge
- 750 lumens
- Max runtime: High = 5 hrs, Low = 120 hrs
- · High capacity Millertech Li-ion battery















Page 110



# THE :: QUAD Model 564 Rechargeable Millertech LED Headlamp

Item #564 Retail: \$59.99



Our brightest Headlamp to date! Same great features, 400 more lumens!

- 4X CREE XP-G3 LEDs
- Lumens: High = 1500, Low = 100
- · Turbo mode (2200 lumens for 30 sec)
- Max runtime hrs: High 2.5, Low 100
- Smooth dimming (0 100%)
- · Smart mode memory
- · Built-in fuel gauge
- · Military-grade aluminum
- · High capacity Millertech Li-ion battery
- · High speed Type C charger port







Details on Page 110













# Model 556 LADIES High Power Rechargeable Millertech LED Headlamp

Item #556-PK Retail: \$49.99



- Military-grade aluminum
- Sleek / slim / lightweight
- Smooth dimming (5-100%)
- · Smart mode memory
- · Built-in fuel gauge
- 750 lumens
- Max runtime: High = 5 hrs, Low = 120 hrs
- High capacity Millertech Li-ion battery







# **Headlamp Accessories**



### **Headlamp Replacement Clips**

Now with an upgraded heavier-duty plastic! For use with 2nd Generation Headlamps

Item #520-R Retail: \$1.50 Item #522-R Retail: \$1.50 Item #521-R Retail: FREE Item #526-R Retail: \$1.50

ATTENTION! All Millertech Headlamps now ship with our **Custom Design** Headlamp Clip and Bands

# **Elastic Super-Tough Bands**

Item #522-RB (Blue) Item #522-RC (Camo) Item #522-RG (Gray) Item #522-RP (Pink) Retail: **\$2.99** 

MIGHTY MINI ONLY! Item #525-BLACK Item #525-PURPLE Item #525-SILVER Retail: \$2.99

# Scooter/Bike Mount for 2nd Gen Headlamps and 553-2nd Flashlight

Item #554 Retail: \$15.00





# Mighty Mini Rechargeable LED Headlamp



They say big things come in small packages and Millertech's new Mighty Mini series of headlamps are no exception. At 40% lighter than traditional Millertech headlamps, the Mighty Mini packs quite a punch. With dual ultra-bright LEDs and a compact, durable aluminum case the Mighty Mini is available in three finishes.

LUMEN BURST (300 LUMEN CONTINUOUS)



Midnight Black

- 1,000+ recharges
- Runtime: 50 hours low/5 hours high
- Smooth dimming (5-100%)
- Smart mode memory
- · Built-in fuel gauge
- 300 lumens 500 lumen burst
- Lightweight military-grade aluminum
- Works with AA rechargeable batteries





Item #MINI555-BLACK (Midnight Black) Item #MINI555-SILVER (Gunmetal Silver) Item #MINI555-PURPLE (Lilac Purple)

Retail: \$42.99



Compatible with **AA NiMH batteries** 





























# Millertech LED Rechargeable Strobe Light




# Mountable Metal Bracket for Strobe Light (2-Pk)

Item #572 Retail: \$15.00

- Compatible with Millertech Item #570 Strobe Light
- Powder-coated finish









A Very Compact Little Light! Measures 1" OD x 4.25" L

# Model 553 Tactical LED (2nd Gen) Rechargeable Millertech Flashlight

Item #553-2nd Retail: \$37.95



2ND Generation

- · Military-grade aluminum
- USB-C charging port
- · Compact / lightweight
- Max runtime: High = 5 hrs, Low = 100 hrs
- · Millertech Li-ion battery
- 750 lumens
- Smooth dimming 5-100%
- Smart mode memory
- · Fuel gauge
- · Magnet tail cap









# Model 561 LED Rechargeable White Laser Millertech Flashlight

Item #561 Retail: \$279



### Max Distance: 1800 Yards

- 550 Lumens
- Max runtime minutes: High 40, Medium 60, Low 200
- Waterproof IPX6
- High speed Type C charger port
- 3 ft. impact resistance
- · Aluminum alloy/stainless steel
- Weight: 12.5 oz. (without battery)
- Size: 7.35" X 2.34" X 1.35"
- Compatible batteries: 21700/18650\*/26650 \*18650 batteries may hinder performance







# Model 562 LED Rechargeable Millertech Spotlight

Item #562 Retail: \$119



### Max Distance: 900 Yards

- · Aerospace grade aluminum alloy quality smooth reflector
- 1300 lumens
- Max runtime hours: High 3 hrs, Medium 8 hrs, Low 50 hrs
- Waterproof IPX7
- High speed Type C charger port
- 4 ft. Impact resistance
- · Heat dissipation with cooling fins
- Weight: 10.85 oz. (without battery)
- Size: 7.15" X 2.5" X 1.35"
- Compatible batteries: 21700/18650\*/26650 \*18650 batteries may hinder performance



















# Model 567 3LED Rechargeable Millertech Flashlight

Item #567 Retail: \$74.99



- Lumens: High = 1500, Low = 550, Extreme low = 40
- Turbo mode (2500 lumens for 30 sec)
- Max runtime hours: High 5 hrs, Low 10 hrs, Extreme low = 150 hrs
- Smooth dimming (2 100%)
- · Smart mode memory
- · Built-in fuel gauge
- · Temp control technology
- Military-grade aluminum
- Uses (2) 18650 Millertech Li-ion batteries











# Rechargeable Batteries for Headlamps and Flashlights



Made to Fit 561 and 562 Millertech® Flashlights



# 21700 Rechargeable Battery 3.7V-5000mAh

Item #549 Retail: \$12.99





# 18650 Luxury LED Rechargeable Battery 3.7V 2600mAh 2-Pk

Item #449 Retail: \$10.99



Made to Fit 555-2nd, 556-2nd, 564, 568-LT, 569 and 567 Millertech® Headlamps



# 2-Pk 18650 2nd Gen. Rechargeable Battery 3.7V-3500MAh

Item #550 Retail: \$19.99



Made to Fit Millertech® Mighty Mini Headlamps





14500 Rechargeable Battery 3.7V 1250mAh 2-Pk

Item #548 Retail: \$11.99



# Model 552 Flashlight and Headlamp Supplement Pack





# 4-Bay 18650/14500 Battery Charger with LCD Display

Item #552-C Retail: **\$30.00** 



Includes: (1) Universal intelligent charger, (1) USB power cord

### Features:

- Overcharge protection
- Over-current protection
- Over-voltage protection
- Overheat protection
- Dimensions: 4.5" X 6" x 1.375"
- Intelligent LCD display

# **LUXURY LED 4-Bay 18650/14500 Battery Charger with Indicator Lights**



Built with all the same protection features as our premium model, with a slightly slower charge rate and no LCD screen

# Replacement Cord for 552-C Charger

Item #524-552 Retail: **\$1.99** 



### 1-Ft USB-C Cord

Item #523-USB Retail: **\$1.50** 









# Model 557 Rechargeable **LED Headlamp**

Item #557-G (Gray) Item #557-PK (Pink) Item #557-W (White) Retail: **\$22.99** 



3 Color Choices

- · High power LED
- · Choice of High Low Medium beam
- Max runtime: High = 5 hrs, Low = 15 hrs
- · Ultra long range
- · Waterproof headlamp
- Battery has 500+ cycles
- · High speed Type C charger port
- · Weighs only 2 oz.



# Model Knight-1500R 2-COLOR Rechargeable LED Headlamp

Item #K1500 Retail: \$39.99



Includes: (1) Rechargeable Li-ion Battery, (1) USB-C Charge Cable, (1) 2-Color Headlamp

- Compact / lightweight • 1500 lumens (max)
  - Rechargeable Li-ion battery
- Military-grade aluminum Max runtime: High 2 hrs, Low 15 hrs



# **Model Knight-1200** Rechargeable LED Headlamp

Item #K1200 Retail: \$34.99

Includes: (1) rechargeable Li-ion battery. (1) USB-C charge cable, (1) double-power headlamp

- Military-grade aluminum
- · Compact / lightweight
- 5 brightness settings
- 1200 lumens
- Max runtime: High 2.5 hrs, Low 100 hrs
- · Rechargeable Li-ion battery



Item #K500 Retail: \$29.99

Includes: (1) Rechargeable Li-ion battery, (1) USB-C charge cable, (1) High-power headlamp

- · Military-grade aluminum
- · Compact / lightweight
- 5 brightness settings
- 500 lumens
- Rechargeable Li-ion battery
- Max runtime: High 5 hrs, Low 120 hrs

### **Headlamp Replacement Clips**



Now with an upgraded heavier-duty plastic! For use with Luxury LED headlamps

Item #520-R Retail: \$1.50



# Off-Road LED Bar Lights by Millertech®

### Features: • OSRAM

- 100% waterproof IP69
- Military-grade breather/vent



### **Attention Retailers**

Packaged in high-quality full-color boxes and ready for your shelves!

Length	Item#	Power Draw	Voltage Range	Lumens	Dimensions	Spot/Flood Beam	Retail
6"	BL-6	18W	10-30V	1,620	8" x 3" x 2.25"	Combo	\$62.99
10"	BL-10	38W	10-30V	3,420	13" x 3" x 2.25"	Combo	\$74.99
20"	BL-20	80W	10-30V	7,200	23" x 3" x 2.25"	Combo	\$99.99
40"	BL-40	160W	10-30V	14,400	43" x 3" x 2.25"	Combo	\$179.99





### 10W Scooter Headlight

Item #10WSK Retail: **\$50.00** 

- 4000K color
- Waterproof
- Heavy-duty stainless mounting

hardware



# Red Scooter Taillight (Non-Blinking)

Item #3WSK Retail: **\$25.00** 

- · Heavy-duty body
- Rubber mounting plate
- 100% waterproof

Millertech LED Rechargeable Scooter/Bike Lighting Kit





- Heavy-duty mounting bracket with quick release
- USB-C rechargeable
- 800 lumen LED headlight
- 4000K, yellowish, non-blinding LED color
- 5 mode settings
- Powered by (2) 18650 2600mAh Millertech batteries

### Taillight features:

- USB-C rechargeable
- 5 blinking modes
- · Multiple mounting options













Includes



# Vintage **LED Bulbs**



# Millertech A19-DC Vintage LED Bulb

Item #A19-DC3000 - (3000K) Item #A19-DC4000 - (4000K) Item #A19-DC5000 - (5000K)

Retail: **\$11.99** 

- · Vintage glass cover
- E26 base
- 6W power draw
- Only available in DC-10-30V



# Millertech ST-64 Vintage LED Bulb

Item #ST64-AC3000 - (3000K - AC 110V)
Item #ST64-DC3000 - (3000K - DC 10-30V)
Item #ST64-DC4000 - (4000K - DC 10-30V)
Item #ST64-DC5000 - (5000K) - DC 10-30V)

Retail: **\$11.99** 

- · Vintage glass cover
- E26 base
- 6W power draw



# Millertech ST-6410 Vintage LED Bulb

Item #ST6410-3000 - (3000K) Item #ST6410-4000 - (4000K) Item #ST6410-5000 - (5000K)

Retail: **\$14.99** 

- · Vintage glass cover
- E26 base
- 10W power draw
- 10-30 volt input







### **Attention Retailers**

Packaged in high-quality full-color boxes and ready for your shelves!



# Vintage

- Accent Lighting
- Wall Lights & Lamps
- Chandeliers & More





- 150 Lumens per Watt
- Energy Savings 80%





**V1** gives you the ability to choose from 3 colors: 3000K, 4000K or 5000K. They also have an integrated dimmer knob, letting you adjust your light output from 10% to 100%.



# SELECT LED Bulb with <u>Integrated Switch + Knob</u> to Customize Light Color and Wattage









Item#		Power Draw	Input Voltage	Lumens	Size	Retail
20DCD-Select	(10-100% dimmable)	0-20 Watt	12 - 24V DC	0 - 3000	5.75" x 2.5"	\$28.00
35DCD-Select	(10-100% dimmable)	0-35 Watt	12 - 24V DC	0 - 5250	7.5" x 3.25"	\$45.00



# SELECT LED MOTION SENSOR Bulb with Integrated Switch + Knob to Customize Light Color and Wattage





Item #		Power Draw	Input Voltage	Lumens	Size	Retail
20DC-MS	(10-100% dimmable)	0-20 Watt	12 - 24V DC	0 - 3000	5.75" x 2.5"	\$32.00

# **LED Bulbs**

V2 also has a color selecting switch. This version has an integrated power usage adjustment switch for a more permanent set and forget type of application, such as a barn or shop.

- Unique Optical Design
- Long Service Life (50,000 Hrs)
- Voltage Regulated Technology









# Attention Retailers

Packaged in high-quality full-color boxes and ready for your shelves!



# **SELECT LED Bulb with Integrated Switches** to Customize Light Color and Wattage





25W	5000K
30W	4000K
35W	3000K



Item #		Power Draw	Input Voltage	Lumens	Size	Retail
20DC-Select	(12-16-20W Selectable)	12, 16, 20 Watt	12 - 24V DC	0 - 3000	5.75" x 2.5"	\$28.00
35DC-Select	(25-30-35W Selectable)	25, 30, 35 Watt	12 - 24V DC	0 - 5250	7.5" x 3.25"	\$45.00



# **Better Options and Less Inventory!**

Our New Select Series LED Bulbs are a Game-Changer for Retailers.



Frosted Bulbs eliminate the need for a bulky shade! Features a softer, more even light dispersal with less glare!



15WDCD-F Frosted Cover



30WDCD-F Frosted Cover



### Applications:

- 8-10 Ft. Ceilings
- Pole Lights
- Portable Lights
- Stores
- Offices

Item#	Power Draw	Input Voltage	Lumens	Size	LED Color	Retail
15WDCD-F	0-15 Watt	10 - 30V DC	1800	2.5" x 6.5"	5000K	\$28.00
30WDCD-F	0-30 Watt	10 - 30V DC	3600	3.5" x 7.8"	5000K	\$46.00



# **DC LED Bulbs**



5WDC



10WDC



10WDCD



### Applications:

- 8-10 Ft. Ceilings
- Pole Lights
- Portable Lights

Item#	Power	Input Voltage	Lumens	Size	Color	Retail
5WDC	5 Watt	10-30V/DC	750	1.75" x 5.25"	5000K	\$15.50
10WDC	10 Watt	10-30V/DC	1500	1.75" x 5.5"	5000K	\$17.00
10WDCD	0-10 Watt	10-30V/DC	0-1500	2.25" x 6"	5000K	\$22.40





# **SELECT** AC Dustproof LED Bulbs



25W	5000K
30W	4000K
35W	3000K



Item#		Adjustable Power Draw	Input Voltage	Lumens	Color Selectable	Size	Retail
27WAC-Select	(12-16-20W Selectable)	12, 18, 27 Watt	100-277 V	1800 2700 4050	3000K 4000K 5000K	2.5" x 7"	\$30.00
45WAC-Select	(27-36-45W Selectable)	27, 36, 45 Watt	100-277 V	4050 5400 6750	3000K 4000K 5000K	3.5" x 9.25"	\$51.00
63WAC-Select	(36-54-63W Selectable)	36, 54, 63 Watt	100-277 V	5400 8100 9450	3000K 4000K 5000K	3.5" x 9.25"	\$70.00
100WAC-Select	(63-80-100W Selectable)	63, 80, 100 Watt	100-277 V	9450 12000 15000	3000K 4000K 5000K	5.25" x 11"	<b>\$105</b>




Linkable! Less Mess! Do It All with One Cord!



# Black 4 Inch DC-9W Recessed Light Fixture

Item #9WDC-R4B Retail: **\$19.00** 

- 4" Cutout size
- Wider edge covers cut out hole
- 1/2" height is ideal for narrow spaces
- Easy to install





Input Voltage Power

10-30V DC

Color Selectable

3000K - 4000K - 5000K

# AC & DC Options!

# Millert#ch

# Ultra-Thin LED Recessed Ceiling Lights with Junction Box









Item#	Input Voltage	Power Draw	Lumen Output	Color Adjustable	Light Size	Installation Hole Size	Retail
15WDC-R6	10-30V DC	15W	1800	3000K 4000K 5000K	6"	6.25"	\$24.99
20WDC-R8	10-30V DC	20W	2400	3000K 4000K 5000K	8"	8.25"	\$29.99
30WDC-R11	10-30V DC	30W	3600	3000K 4000K 5000K	11"	11.25"	\$34.99
15WAC-R6	85-265V-AC	15W	1800	3000K 4000K 5000K	6"	6.25"	\$22.99
20WAC-R8	85-265V-AC	20W	2400	3000K 4000K 5000K	8"	8.25"	\$28.99
30WAC-R11	85-265V-AC	30W	3600	3000K 4000K 5000K	11"	11.25"	\$33.99





### "Select" Your Light Color. "Select" Your Wattage!

# **LED SELECT Ceiling Lights**



### Applications:

- 10-14 ft. ceilings
- Barns & shops
- Retail space
- Warehouses
- Work areas, etc.



Best choice for Dog Kennels, Washrooms, and Horse Barns





Directional Lighting at it's Best! After extensive testing this is our personal favorite light for any space with 10 - 14 ft. ceilings. The 100% enclosed design makes it perfect for barns and shops where dust and dirt is an issue!



ATTENTION!
AC Select Ceiling
Lights are now
compatible with
our Plug & Play
Motion Sensor
Item #123-CL



# Plug and Play Motion Sensors



Item #123-CL Retail: **\$23.00** 

Item#	Power Draw	Input Voltage	Lumens	Size	Color Selectable	Retail
40WDC-CLS	40W 30W 20W	10-30 Volt	5200 3900 2600	8.5" x 8.5" x 4"	3K-4K-5K	\$78.00
75WDC-CLS	75W 65W 55W	10-30 Volt	9750 8450 7150	10.5" x 10.5" x 4.5"	3K-4K-5K	<b>\$119</b>
40WAC-CLS	40W 30W 20W	100-277 Volt	5200 3900 2600	8.5" x 8.5" x 4"	3K-4K-5K	\$78.00
75WAC-CLS	75W 65W 55W	100-277 Volt	9750 8450 7150	10.5" x 10.5" x 4.5"	3K-4K-5K	\$119
123-CL	Plug & Play Motion	Sensor for AC Selec	table Ceiling L	ights		\$23.00









Item#	Power Draw	Input Voltage	Lumens	Size	LED Color	Original Retail Price	SPECIAL DISCONTINUED Retail
25WDC-CL	25 Watt	10 - 30V	3250	9" x 9" x 4.5"	5000K	\$70.00	\$56.00
40WDC-CL	40 Watt	10 - 30V	5200	9" x 9" x 4.5"	5000K	\$78.00	\$62.40
55WDC-CL	55 Watt	10 - 30V	7150	9" x 9" x 4.5"	5000K	\$92.00	\$73.60



# **LED High Power Floodlights** 2nd Generation





Item#	Power Draw	Input Voltage	Lumens	Size	LED Color	Original Retail	SPECIAL DISCONTINUED Retail
15WDC-FL	15 Watt	10-30V-DC	1950	4.75 x 4.75 x 1.5	5000K	\$35.00	\$28.00
30WDC-FL	30 Watt	10-30V-DC	3900	7" x 7.25" x 1.75"	5000K	\$56.00	\$44.80
50WDC-FL	50 Watt	10-30V-DC	6500	8" x 8.5" x 1.75"	5000K	\$85.00	\$68.00
15WAC-FL	15 Watt	100-277V-AC	1950	4.75" x 4.75" x 1.5"	5000K	\$33.00	\$26.40
30WAC-FL	30 Watt	100-277V-AC	3900	7" x 7.25" x 1.75"	5000K	\$56.00	\$44.80
50WAC-FL	50 Watt	100-277V-AC	6500	8" x 8.5" x 1.75"	5000K	\$85.00	\$68.00
80WAC-FL	80 Watt	100-277V-AC	10,400	13.25" x 12" x 3.5"	5000K	\$160	\$128
150WAC-FL	150 Watt	100-277V-AC	19,500	15" x 15" x 3.5"	5000K	\$195	<b>\$156</b>



# **LED SELECT High Power Floodlights**

- High quality
- Waterproof
- Slim-compact design



"Select" your Light Color "Select" your Wattage!

### Applications:

- Outdoor events
- Parking lots
- Security lighting
- Volleyball lighting
- Paint/finish booths



Item#	Power Draw	Input Voltage	Lumens	Size	Color Selectable	Retail
30WDC-FLS	10W 20W 30W	10-30V DC	1300 2600 3900	8.75" x 7.5" x 2"	3K-4K-5K	\$49.99
70WDC-FLS	50W 60W 70W	10-30V DC	6500 7800 9100	8" x 9.5" x 2"	3K-4K-5K	\$99.00
30WAC-FLS	10W 20W 30W	100-277V AC	1300 2600 3900	8.57" x 7.5" x 2"	3K-4K-5K	\$49.99
70WAC-FLS	50W 60W 70W	100-277V AC	6500 7800 9100	8" x 9.5" x 2"	3K-4K-5K	\$99.00





# **Install Above Your Workstation!**

At Last! A Cordless Lighting Fixture that is rugged enough for almost any application! Sawmills, Welding Tables, Finishing Booths,
Sanding Stations, Produce Packing and much more!

This fixture is specifically designed to install above your workstation to create maximum visibility as you work on your task.



# Millert#ch

# Cordless LED WorkLight1 Fixture

Item #C925-C (DEW/MILW)
Item #C925-M (MAKITA)

Retail: **\$135** (Excludes battery)

Runtime: 4.4 hours with 6Ah tool battery





# Miller*tiech*

# Cordless LED WorkLight2 Fixture

Item #C955-D (DEW/MILW) Item #C955-M (MAKITA)

Retail: **\$155** (Excludes batteries)

Runtime: 6 hours with (2) 9Ah tool batteries



Choose this unit for that extra blast of light!



# **Commercial**

# **LED Select Linear High Bay Lights**

### **MOTION SENSOR Compatible 123HB**

Item #150WACLS Retail: \$100

Color: 4000K - 5000KPower: 110W - 130W - 150W

Selectable

• Dimensions: 14.5" x 11.5" x 2"

Item #320WACLS Retail: \$168

• Color: 4000K - 5000K

• Power: 220W - 295W - 320W

Selectable

• Dimensions: 23.5" x 13" x 2"





"Select" your Light Color "Select" your Wattage!







# Hang from the Ceiling or Mount Directly to the Ceiling

Offering the same selectable and versatile options as our great-selling UFO Highbays, this version is not waterproof sealed, making them a more cost effective solution. This type is widely used in commercial projects like Menard's, Walmart and others.

Another great feature these Linear LEDs offer is an option to add a motion sensor. This motion sensor, seamlessly installs directly into the light, making it simple and quick to install.



# Commercial UFO LED Select High Bay Lights MOTION SENSOR Compatible #123HB

Item #150WACUS Retail: **\$120.00** 

Color: 3000K - 4000K - 5000K
 Power: 100W - 120W - 150W

Selectable









Similar to our all new (Select) LED bulbs, these high bays are also now redesigned using the greatest and latest technology available in the lighting world. Selectable wattage and LED chip color really bring a new level of options to this market. This versatile design really alleviates the installer and retailer's inventory SKU numbers providing everyone a more efficient operating solution.

### Plug and Play Motion Sensors

Item #123HB Retail: **\$23.00** 





Compatible with NEW Linear High Bay Lights and UFO High Bay Lights

# Miller*tich*

# Portable LED Floodlight

Item #C910-C (DEW/MILW) Item #C910-M (MAKITA)

Retail: **\$115** (Excludes battery)

- 3900 lumens 30W
- · Powder-coated steel construction
- · Compact design
- Full-flex lighting angle selection
- Multiple hanging options













Awesome & handy portable lighting for









### Attention Retailers

Packaged in high-quality full-color boxes and ready for your shelves!





Low setting emits a yellowish glow, upward, making it perfect for use as a child's night light!



DeWalt/Milwaukee version

# Miller tich

# Cordless Tool Battery Night Light/Flashlight USB Power Supply

Item #220-C (DEW/MILW) Item #220-M (MAKITA)


Retail: \$26.99 (Excludes battery)

- Dual USB output 2.1A x 2
- 3 brightness settings
- 350 lumens (high)
- Runtimes with 5Ah battery: High: 30 hrs, Low: 300+ hrs





# Bulbs sold separately on pages 49-53



Silvervein



Silvervein Whitevein



# Millertich

### **Cordless LED Wall-Lites**

Item #C902-SC (Silvervein) - DEW/MILW Item #C902-SM (Silvervein) - MAKITA Item #C902-WC (Whitevein) - DEW/MILW Item #C902-WM (Whitevein) - MAKITA

Retail: \$79.00 (Excludes battery and bulb)

- Powder-coated, steel construction
- Sleek, compact, portable design



# Miller*ti*ch

# **Cordless LED Floor Lamps**

Item #C900-SC (Silvervein) - DEW/MILW Item #C900-SM (Silvervein) - MAKITA Item #C900-WC (Whitevein) - DEW/MILW Item #C900-WM (Whitevein) - MAKITA

Retail: **\$139** (Excludes battery and bulb)

- Convenient

  Cordless
  Tool Battery
  Power!
- Powder-coated, steel construction
- Sleek, compact, portable design
- Soft, non-scratching base
- 65 Inches high with 10" round base

Whitevein



# Miller*tich*

# Cordless LED Modern Table Lamps



Item #C950-MBC (Black) - DEW/MILW Item #C950-MBM (Black) - MAKITA Item #C950-MWC (White) - DEW/MILW Item #C950-MWM (White) - MAKITA

Retail: \$89.99 (Excludes battery and bulb)

- · Concealed battery compartment
- Simple unique design



Whitewash



Bulbs sold separately on pages 49-53



Hidden Battery Compartment (Bottom View)





Hidden Battery Compartment fits up to a 6Ah Battery (Bottom View)



13" x 11" x 8"

# **Round Lamp Shade**

Item #221 Retail: **\$25.00** 





13" x 11" x 8"

# Round Textured Lamp Shade

Item #221-TXT Retail: **\$27.99** 



16" x 10" x 10.5"

# Rectangular Textured Lamp Shade

Item #223 Retail: **\$29.99** 



Pair this Fixture with one of our vintage LED bulbs to create your own unique lighting fixture!



# Farm Style Lighting Fixture

Item #224 Retail: **\$15.99** 



This simple adapter lets you convert any floor or table lamp from electric to power tool in seconds! No more cord cutting and bad connections.




# Simple Lamp Adapter 18V DC Output

Item #190-C (DEW/MILW)

Retail: **\$21.99** 

Item #190-M (MAKITA) Retail: **\$21.99** 








### 10" Lamp Harp

Item #226 Retail: **\$10.00** 



# Millert #ch

# **Hand-Hewn Beam Chandeliers**

Recommended bulbs: 6W vintage 4000K (not included)



Whitewash - 36" x 7" x 5"

Item #803-WC (DEW/MILW), Item #803-WM (MAKITA)

Retail: **\$199** (Excludes battery)

Brown - 24" x 7" x 5"
Item #802-BC (DEW/MILW)
Item #802-BM (MAKITA)
Retail: \$169 (Excludes battery)

Brown - 36" x 7" x 5"
Item #803-BC (DEW/MILW), Item #803-BM (MAKITA)
Retail: **\$199** 



# **Modern Hand-Hewn Beam Chandeliers**

Include 4 Inch recessed LED lights (pre-installed)



Battery installed and concealed Inside the beam (top view)





All Millertech® Beam Chandeliers
Feature Convenient
Pull Chain Switch!

Item #803-MC (DEW/MILW) Item #803-MM (MAKITA)

Retail: **\$199** (Excludes battery)





# Miller EECh

# Metal Bathroom LED Wall-Lite

Item #C801-BC (Black) - DEW/MILW Item #C801-BM (Black) - MAKITA Item #C801-WC (White) - DEW/MILW Item #C801-WM (White) - MAKITA Retail: **\$169.00** (Excludes battery)

- Available in matte black or matte white
- 2 X 9W LED light fixtures
- 10 100% dimmable
- Pull chain on/off switch
- Adjustable LED color (3000K-4000K-5000K)
- Dimensions: 24" x 6.75" x 5.125"







# **Mini Arc Table Lamp**

Item #CR241-C - DEW/MILW Item #CR241-M - MAKITA Retail: **\$188** (Excludes battery)

- Shade included
- Available in matte black
- Concealed battery compartment Push button on/off





A beautifully crafted design that seamlessly connects style and functionality











# Farmhouse Kitchen Pendant Hanging Lights

Item #C820-BC (Black) - DEW/MILW Item #C820-BM (Black) - MAKITA

Item #C820-SC (Smoke) - DEW/MILW

Item #C820-SM (Smoke) - MAKITA

Item #C820-WC (White) - DEW/MILW

Item #C820-WM (White) - MAKITA
Retail: \$199.99 (Excludes battery and bulb)

- 15.25" X 15.25" X 15"
- Built-in battery compartment fits up to 9Ah battery

Smoke

 Compatible with the LED bulb of your choice up to 20W (bulb not included)





Hidden Battery Compartment





# Modern Motion Sensor Wall Lamp Fixture

Item #C810-C (DEW/MILW) Item #C810-M (MAKITA)

Retail: **\$199** (Excludes battery)

- Concealed 20W LED chip
- Heavy-duty Powder-coated steel/aluminum construction
- Shell slides up for easy battery access
- Conserve energy with a 0-100% dimmer switch















**Attention Retailers** 

Packaged in high-quality, full-color boxes and ready for your shelves!



# **LED Rechargeable Lanterns**

- Accommodates up to a 20W bulb
- Millertech battery-powered 12Ah (8-rechargeable D size batteries)
- 10.2 hour runtime with a 15W bulb
- Can be recharged up to 2,000x
- Molded plastic body makes it lightweight, yet very durable
- Recharge the battery internally or externally
- Built-in fuel gauge
- · Low voltage alarm
- · Low battery shut-off

402-VPS

· AC or DC powered chargers available

Item#	Color	Switch Type	Retail Price
402-AP	Ааша	Pull Chain	
402-AS	Aqua	Rocker Switch	
402-BLP	Black	Pull Chain	
402-BLS	ыаск	Rocker Switch	
402-BP	Durgundu	Pull Chain	<b>\$149</b>
402-BS	Burgundy	Rocker Switch	(excludes bulb)
402-NP	Nova	Pull Chain	
402-NS	Navy	Rocker Switch	
402-VPP	Von Dori	Pull Chain	Choice o
402-VPS	Very Peri	Rocker Switch	Pull Cha

Rocker Switch



Seller!

Reversible design can hang with bulb UP or DOWN!







Packaged in high-quality full-color boxes and ready for your shelves!





Twist-open lid for easy battery access

Switch



# **Lantern Accessories**



# 12V12Ah 8D Replacement Battery

Item #402-R Retail: **\$75.00** 

CAPACITY	BMS:	Yes
12Ah	Chemistry:	LiFePO4
VOLTAGE	Efficiency:	98%
12.8V	Memory:	None
WEIGHT	Max Charge/Voltage:	14.6V
2.7 lbs.	Cut-off Voltage:	10.5V
SIZE	Max Charge/Discharge Current:	6A - 10A
5.5" x 3" x 2.75"	Operating Temp:	32-120
WARRANTY	Connection Capability:	Single
5 years	Cell Type:	Cylindrical



# Custom Cable for Multi-Bank Lantern Chargers 50A Anderson & Ring Terminals

Item #DC-Cable-8 Retail: \$32.00 Item #DC-Cable-10 Retail: \$37.00 Item #DC-Cable-12 Retail: \$40.00



# **Commercial 4-Bank Charger**

Item #DC4-8D Retail: **\$240** 

- Built-in mounting flanges
- Built-in LED indicator lights
- Includes a 5 ft. Input power cable with 50A Anderson connector and ring terminals

Input Voltage 11-30V DC

Output Voltage 14.5V 3A x 4



Charges up to 4 x 8D Rechargeable Batteries or Lanterns at one time!



# 12V3A DC-DC Charger

Item #123DC-8D Retail: **\$40.00** 



12V4A AC-DC Charger

Item #124AC-8D Retail: **\$40.00** 



# Miller*tich*

# Versa Light

Item #C905-C (DEW/MILW)
Item #C905-M (MAKITA)

Retail: \$74.99 (Excludes bulb and battery)

- · Hangs with bulb up or down
- (2) Wall mounting options
- Heavy-duty powder-coated steel construction
- Extra heavy-duty bulb guard
- · Wrap-around base protects battery
- · Attractive Silvervein color
- · Blinkerboard with shutoff
- Fits up to a 30W LED bulb



Shown with Our NEW DESIGN!
30 Watt Frosted 2nd Gen Bulb
(Eliminates the need for a Bulky Shade!)









# **Economy Light**

Item #C905E-C (DEW/MILW)
Item #C905E-M (MAKITA)

Retail: **\$60.00** 

(Excludes bulb and battery)

- Heavy-duty Powder-coated steel construction
- Extra heavy-duty bulb guard
- Raven black powder-coated
- Blinkerboard with shutoff
- Fits up to a 30W LED bulb









# Attention Retailers

Packaged in high-quality full-color boxes and ready for your shelves!



# **Niitz-Licht**

Item #906-C (DEW/MILW)
Item #906-M (MAKITA)

Retail: **\$52.50** 

(Excludes bulb, shade, and battery)

- DEW/MILW or MAKITA compatible
- Ergonomic handle design
- Built with injection molded, crackresistant plastic for a surprisingly lightweight yet robust product!
- · Low battery blinker board
- Built-in heavy-duty metal bulb guard
- · Convenient rocker switch
- Ships bulk packed (not individually boxed)



The Niitz-Licht is manufactured by Lancaster Lantern and Distributed by Millertech



Unbreakable Shade for Niitz-Licht (Optional)

Item #227 Retail: **\$4.95** 

# **Solar Charge Controllers**





Retail: \$124.00



Retail: \$166.00



Retail: **\$199.00** 

# **Product Specification Parameters**

	<u>-</u>		
Parameter		Value	
Model	ML2420	ML2430	ML2440
System voltage		12V/24VAuto	
No-load loss		0.7 W to 1.2W	
Battery voltage		9V to 35V	
Max. solar input voltage		100V(25°C) 90V(-25°C)	
Max. power point voltage range		Battery Voltage+2V to 75	V
Rated charging current	20A	30A	40A
Rated load current		20A	
Max. capacitive load capacity		10000uF	
Max. photovoltaic system input power	260W/12V 520W/24V	400W/12V 800W/24V	520W/12V 1040W/24V
Conversion efficiency		≤98%	
MPPT tracking efficiency		>99%	
Temperature compensation factor		-3mv/°C/2V ( default )	
Operating temperature		-35℃ to +45℃	
Protection degree		IP32	
Weight	1.4Kg	2Kg	2Kg
Communication method		RS232	
Altitude		≤ 3000m	
Product dimensions	210*151*59.5mm	238*173*72.5mm	238*173*72.5mm

# **DC-Powered Cordless Tool Battery Charger**

Item #CAT-DEW (DEWALT) Item #CAT-MIL (MILWAUKEE) Item #CAT-MAK (MAKITA)



Retail: \$129.99 (Excludes battery)

- Battery-to-charger communication for safety
- Efficiently DC-powered, using up to 20% less energy than an inverter with AC chargers
- 12V to 60V input
- Works with these batteries: 12V, 24V, 36V, and 48V
- Works with solar panels up to 50V









TAMOUN'

# **Catamount Charger Cord**

Item #CAT-CORD Retail: **\$32.00** 

• Anderson to 3/8" ring terminals

# Milw/Dew (10) **Battery Mounting Organizer**

Item #622-ORG Retail: \$59.99



18.5V Milwaukee 20V DeWalt





Batteries Clip on Top and Bottom

# Milw/Dew Tool Mounting Clip

Item #61-ORG Retail: \$3.95





18.5V Milwaukee 20V DeWalt

Reversible

Milw



# Milw/Dew Tool Battery **Mounting Clip**

Item #62-ORG Retail: \$3.95



18.5V Milwaukee 20V DeWalt

# Miller USB Tool Adapters







Item #CL1812-C (DEW/MILW)
Item #CL1812-M (MAKITA)

Retail: **\$39.99** 



Item #1812-CIG-C (DEW/MILW)

Retail: **\$35.00** 

Item #1812-CIG-M (MAKITA)

Retail: \$35.00

- 18.5V input
- 12V 10A continuous output
- Heavy-duty circuit board with low-voltage shut-off



Item #LL1820-C (DEW/MILW)
Item #LL1820-M (MAKITA)

Retail: \$18.99



# DIY - Slim DeWalt Flexvolt Adapter

Item #DEW60V Retail: **\$15.00** 

• 60V output





Item #CL1820-C (DEW/MILW) Item #CL1820-M (MAKITA)

with Shut-Off + Switch

Retail: **\$19.99** 



# 12V Fan Adapter

Item# 1812-FANC (DEW/MILW) Item# 1812-FANM (MAKITA)

Retail: \$27.99

- 18.5V input
- 12V 4A output
- 12 Inch wire lead with 5.5 X 2.1 male
- Works to power most 12V DC fans

# Millert#ch

# Cordless Tool Battery Night Light/Flashlight USB Power Supply

Item #220-C (DEW/MILW) Retail: **\$26.99** 

1 totali: +**20100** 

Item #220-M (MAKITA) Retail: **\$26.99** 

- Dual USB output 2.1A x 2
- Three brightness settings
- 350 lumens (high)
- Runtimes with 5Ah battery:
   High: 30 hrs, Low: 300+ hrs



DeWalt/Milwaukee version



Low setting emits a yellowish glow, upward, making it perfect for use as a child's night light!



A convenient method for recharging Millertech Lighting Products







Fits **MAKITA**Tool Battery



Fits **MILWAUKEE**Tool Battery

# **USB Tool Adapters with 12V Output**

Item #218-DW (DEWALT) Retail: \$19.99 Item #218-MK (MAKITA) Retail: \$19.99 Item #218-ML (MILWAUKEE) Retail: \$19.99







All Converters are 100% Waterproof Marine Grade

### 1 YEAR WARRANTY on All Converters

Failure due to short circuit is not covered by this warranty!

# 12V to 24VDC 20A Converter

Item #1224-20 Retail: \$44.00

### 24V to 12VDC 20A Converter

Item #2412-20 Retail: \$28.00

### 24V to 12VDC 40A Converter

Item #2412-40 Retail: \$44.00

### 48V to 24VDC 30A Converter

Item #4824-30 Retail: \$52.00



### 48V to 24VDC 60A Converter

Item #4824-60 Retail: \$210

# **Cordless Tool Battery Adapter with USB Port**

(Convert Makita Tools to Dew/Milw Battery)

Item #217-MAK

Retail: \$19.99

This adapter is made so that a Makita tool can be operated with a DeWalt or Milwaukee battery!



Works Great with a Makita Vacuum!



# **Cordless Tool Battery Adapter with USB Port**

(Convert DeWalt Tools to Makita Battery)

Item #217-C

Retail: **\$19.99** 

This adapter is made so that a DeWalt tool can be operated with a Makita battery!





# **Basic Voltage Meter Battery Tester** with Switch

Item #191 Retail: \$19.99



**Battery Voltage Tester** 

12V Cigarette Plug

Mountable DC Power-Box 12V Cig. Plug, **Dual USB Plugs, Battery Voltage Tester** 

Item #192 Retail: \$39.99

Dual USB Plugs




# **A-1 Circuits**



These circuit boards are custom-built for specific applications. If you are not sure if they are made for your application, please contact our tech team and we will be glad to offer direction!



Item #18V5A-V1 Retail: \$7.00



18V to 5A Low Voltage Blinker **Board with Switch** 

Item #18V5A-V2 Retail: \$7.00



Item #18-24V1A Retail: \$8.00



This kit creates a simple solution for powering a 24V diffuser from a 12V battery or a 8D battery pack (Millertech Item #402R)

# 12V to 24V 1A Soft Start **Diffuser Board Kit**

Item #12-24V1A Retail: \$24.00

Pearl Black



# **E26 Edison Bulb Socket with Switch**

Item #199 Retail: \$9.99

**E26 to E39 Adapter** 



Item #198 Retail: \$5.99



**Cigarette Plug USB-Charger** 

Item #216 Retail: \$5.00

**AC-USB** Charger (2.1 Amps)



Item #214 Retail: \$5.00



### **Marine Power Board**

Item #202 Retail: \$17.99



# **Dual USB-Charge Socket with Voltmeter**

Item #203 Retail: \$13.99

**Dual USB** Charge Socket



Item #204 Retail: \$6.99

# **Marine Cigarette Socket with Cap**

Item #205 Retail: \$5.99



**Cigarette Plug** with 2.1mm Plug

Item #207 Retail: \$7.99



**Clamp Set** with **Electric Plug** 

Item #208 Retail: \$5.99



100A Pure Copper **Heavy Duty** Clamps



Item #200 Retail: \$5.99 per set

**50A Nickel Plated** Clamps



Item #201 Retail: \$3.99 per set

Copper **Jumper** Clamp Set



Item #187 (500A) Retail: \$15.00 Item #188 (1000A) Retail: \$24.00

**Clamp Set** w/ Female **Cigarette Plug** 

Item #215 Retail: \$7.00





# **Clamp Set with Female** Cigarette Plug and 15A Fuse 14AWG Wire

Item #215-HD Retail: \$8.00

# **AC-DC Clamp Meter**



Designed to measure AC/DC current, AC/DC voltage, resistance and capacitance with very high accuracy. With a convenient clamp design you can easily clamp it over any wire and quickly get an accurate amperage reading. This is a must-have for everyone including solar installers, electricians & the average home owner.

> Display Count **Auto Power Off** Yes / 15 min. Power 2X AAA Battery AC/DC Current 2A/20A/100A 2V/20V/200V/600V AC/DC Voltage

Resistance & Capacitance Testing

# **Fuel Gauge**



Item #211 Retail: \$14.99

Voltage 12V-24V-36V-48V Compatible **Battery Types** Lead Acid - Lithium Voltage Readout Percentage Readout **Mounting Hole** Rectangle

# Millertech **Custom Meter**

Item #211-M Retail: \$12.00

- · Compatible with 12-24-48V LiFePO4 batteries
- Voltage reading
- Accurate percentage reading for LiFePO<sub>4</sub>
- Mounting hole = rectangle



# **Digital Volt Meter**

Item #206-B (Blue) Retail: \$9.99 Item #206-G (Green) Retail: \$9.99 Item #206-R (Red) Retail: \$9.99



# **Power Distribution Blocks**

Item #124-BLK Retail: \$39.99 per set

This set of high quality distribution blocks are custom machined to work well with most Millertech Batteries. At last no more stacking ring terminals to create an ugly cobweb of wires. Get organized today!

# **AGM Battery Terminals - 6mm**

Item #213 Retail: \$9.99 per set

# **Lithium Battery Terminals - 8mm**



Item #212 Retail: \$9.99 per set

# SAE to SAE **Connector Kit** with Caps

Item #184 Retail: \$3.99 • 1 ft. - 16 AWG wire





### **50A GEN Connector**

Item #197 Retail: \$4.50



### 50A GEN Connector

with 12" 6 AWG Wire Leads and 3/8" Rina Terminals

Item #229 Retail: \$10.00



### 175A GEN Connector Kit

Item #231 Retail: \$10.00



### 350A GEN Connector Kit

Item #232 Retail: \$17.00



# $5.5 \times 2.1$ Male Pigtail 12"

Item #193 Retail: \$1.99



# 5.5 x 2.1 Female Pigtail 12"

Item #194 Retail: **\$1.99** 



# $5.5 \times 2.5$ Male Pigtail 12"

Item #195 Retail: \$1.99



# 5.5 x 2.5 Female Pigtail 12"

Item #196 Retail: \$1.99

# POWER YOUR ESSENTIALS!


- Pure Sine Wave
- Output Short
   Circuit Protection
- Over-Temp Protection
- Overload Protection
- Under-Voltage Protection
- Overcurrent Protection



# **ALL-IN-ONE**

# Inverter - Solar Charge Controller - AC Battery Charger

We recommend using these units in any light-duty non-commercial application. We have found them to be very economically priced and also a very reliable choice for your small to mid-sized solar system.



# **Edison Inverters**

# 24V 3000W

Item #243E Retail: **\$599** 

Model	HF2430U80-H
AC Mode	
Rated input voltage	110/120V AC
Input voltage range	(90V AC-140V AC)
Frequency	50Hz/60Hz (auto-sensing)
	47 0.3Hz - 55 0.3Hz (50Hz);
Frequency range	57 0.3Hz - 65 0.3Hz (60Hz)
Overload / short-circuit protection	Breaker
Efficiency	>95%
Conversion time	10ms (Typical value)
(Bypass and inverting)	15.115 (Typical Vado)
AC reverse flowing protection	Yes
Maximum bypass overload current	30A
Inverting mode	
Output voltage waveform	Pure sine wave
Rated output power (VA)	3000
Rated output power (W)	3000
Power factor	1
Rated output voltage (V AC)	120V
Output voltage error	5%
Output frequency range (Hz)	50Hz 0.3Hz/60Hz 0.3Hz
Efficiency	>90%
	(102% <load<110%) 10%="" error<br="" reporting="">and turn off the output after 5 minutes;</load<110%)>
	(110% <load<125%) 10%="" error<="" reporting="" td=""></load<125%)>
Overload protection	and turn off the output after 10 seconds;
	Load>125% 10% reporting error and
	turn off the output after 5 seconds
Peak power	6000VA
Loaded motor capacity	2HP
Output short-circuit protection	Breaker
Specification of bypass breaker	63A
Rated battery input voltage	24V (minimum start voltage 22V) (undervoltage alarm / turnoff voltage / overvoltage alarm
Battery voltage range	/ overvoltage restoration settable LCD screen)
Power saving mode	Load < 50W
AC charge	
Battery type	Lead acid or lithium battery
Maximum charge current	60A
Charge current error	<u>+</u> 5A DC
Charge voltage range	20-33V DC
Short-circuit protection	Breaker and blown fuse
Breaker specification	30A
Overcharge protection	Turn off charge after 1 min. alarm
Solar charge	
Maximum PV open-circuit voltage	500V DC
PV operation voltage range	120-500V DC
MPPT voltage range	120-450V DC
Battery voltage range	20-33V DC 1400W
Maximum output power	14UUVV
Charge current range of solar energy (settable)	60A
Charge short-circuit protection	Blown fuse
Charge short-circuit protection Wiring protection	Blown fuse Inverse wiring protection
Wiring protection	
Wiring protection  Authentication specification	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000
Wiring protection  Authentication specification  Specification authentication	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C
Wiring protection  Authentication specification  Specification authentication  EMC authentication grade  Operation temperature range  Storage temperature range	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C
Wiring protection  Authentication specification  Specification authentication  EMC authentication grade  Operation temperature range  Storage temperature range  Humidity range	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)
Wiring protection  Authentication specification  Specification authentication  EMC authentication grade  Operation temperature range  Storage temperature range  Humidity range  Noise	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB
Wiring protection  Authentication specification  Specification authentication  EMC authentication grade  Operation temperature range  Storage temperature range  Humidity range  Noise  Thermal dissipation	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB  Forced cooling with adjustable air speed
Wiring protection  Authentication specification  Specification authentication  EMC authentication grade  Operation temperature range  Storage temperature range  Humidity range  Noise  Thermal dissipation  Communication interface	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB  Forced cooling with adjustable air speed  USB/RS485 (WiFi/GPRS)dry node control
Wiring protection  Authentication specification  Specification authentication  EMC authentication grade  Operation temperature range  Storage temperature range  Humidity range  Noise  Thermal dissipation	Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB  Forced cooling with adjustable air speed

# 48V 5000W

Item #485E Retail: \$980

Model	HF4850U80-H
AC Mode	
Rated input voltage	110/120V AC
Input voltage range	(90V AC-140V AC)
Frequency	50Hz/60Hz (auto-sensing)
Frequency range	47 0.3Hz - 55 0.3Hz (50Hz);
Trequency range	57 0.3Hz - 65 0.3Hz (60Hz)
Overload / short-circuit protection	Breaker
Efficiency	>95%
Conversion time	10ms (Typical value)
(Bypass and inverting)	Tomo (Typical Value)
AC reverse flowing protection	Yes
Maximum bypass overload current	63A
Inverting mode	
Output voltage waveform	Pure sine wave
Rated output power (VA)	5000
Rated output power (W)	5000
Power factor	1
Rated output voltage (V AC)	120V AC
Output voltage error	5%
Output frequency range (Hz)	50Hz 0.3Hz/60Hz 0.3Hz
Efficiency	>90%
	(102% <load<110%) 10%="" error<="" reporting="" td=""></load<110%)>
	and turn off the output after 5 minutes;
Overload protection	(110% <load<125%) 10%="" error<="" reporting="" td=""></load<125%)>
Overload protection	and turn off the output after 10 seconds;
	Load>125% 10% reporting error and
	turn off the output after 5 seconds
Peak power	10000VA
Loaded motor capacity	4HP
Output short-circuit protection	Breaker
Specification of bypass breaker	63A
Rated battery input voltage	48V (minimum start voltage 44V)
Battery voltage range	(undervoltage alarm / turnoff voltage / overvoltage alarm / overvoltage restoration settable LCD screen)
Power saving mode	Load < 50W
AC charge	
Battery type	Lead acid or lithium battery
Maximum charge current	40A
	+ 5A DC
Charge current error	± 5A DC
Charge current error Charge voltage range	40-60V DC
Charge current error Charge voltage range Short-circuit protection	40-60V DC Breaker and blown fuse
Charge current error Charge voltage range Short-circuit protection Breaker specification	40-60V DC Breaker and blown fuse 63A
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection	40-60V DC Breaker and blown fuse
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC 40-60V DC
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC 40-60V DC
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm  500V DC 120-500V DC 120-450V DC 40-60V DC 5000W
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable)	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC 40-60V DC 5000W 0-80A
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC 40-60V DC 5000W 0-80A Blown fuse
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm 500V DC 120-500V DC 120-450V DC 40-60V DC 5000W 0-80A Blown fuse
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm  500V DC 120-500V DC 120-450V DC 40-60V DC 5000W  0-80A Blown fuse Inverse wiring protection
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification Specification authentication	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm  500V DC 120-500V DC 120-450V DC 40-60V DC 5000W  0-80A Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification EMC authentication grade Operation temperature range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm  500V DC 120-500V DC 120-450V DC 40-60V DC 5000W  0-80A Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1) EN61000
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification EMC authentication grade Operation temperature range Storage temperature range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm  500V DC 120-500V DC 120-450V DC 40-60V DC 5000W  0-80A Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1) EN61000 -15°C to 55°C -25°C - 60°C
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge protection Solar charge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Battery voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification EMC authentication grade Operation temperature range Storage temperature range Humidity range	40-60V DC Breaker and blown fuse 63A Turn off charge after 1 min. alarm  500V DC 120-500V DC 120-450V DC 40-60V DC 5000W  0-80A Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1) EN61000 -15°C to 55°C -25°C - 60°C 5% to 95% (three-proof paint protection)
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification EMC authentication grade Operation temperature range Storage temperature range Humidity range	40-60V DC  Breaker and blown fuse  63A  Turn off charge after 1 min. alarm  500V DC  120-500V DC  120-450V DC  40-60V DC  5000W  0-80A  Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification EMC authentication grade Operation temperature range Humidity range Noise Thermal dissipation	40-60V DC  Breaker and blown fuse  63A  Turn off charge after 1 min. alarm  500V DC  120-500V DC  120-450V DC  40-60V DC  5000W  0-80A  Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB  Forced cooling with adjustable air speed
Charge current error Charge voltage range Short-circuit protection Breaker specification Overcharge Maximum PV open-circuit voltage PV operation voltage range MPPT voltage range Maximum output power Charge current range of solar energy (settable) Charge short-circuit protection Wiring protection Authentication specification EMC authentication grade Operation temperature range Storage temperature range Humidity range	40-60V DC  Breaker and blown fuse  63A  Turn off charge after 1 min. alarm  500V DC  120-500V DC  120-450V DC  40-60V DC  5000W  0-80A  Blown fuse Inverse wiring protection  CE(IEC 62109-1)/CETL(UL 1741/CSA C22.2 No.107.1)  EN61000  -15°C to 55°C  -25°C - 60°C  5% to 95% (three-proof paint protection)  ≤60dB



# **200-Watt Inverter**

Item #B944-C (DEW/MILW)
Item #B944-M (MAKITA)

Retail: **\$85.00** (Excludes battery)

- Built-in USB ports
- Built-in light
- 110V AC outlet









# **Edison Power Inverters**



Item#	Input Voltage	Output Voltage	Power	Efficiency	Retail
123-l	12V-DC	120V - AC	300W	93%	\$111
125-l	12V-DC	120V - AC	500W	93%	\$149.99
128-l	12V-DC	120V - AC	800W	93%	\$199.99
1212-I	12V-DC	120V - AC	1200W	93%	\$259

# Miller tiech

# Rechargeable Tire Inflator

Item #C-717 Retail: **\$74.99** 

- 150 PSI max pressure
- · Digital pressure gauge
- 7.4V / 14.8Wh lithium battery
- · Battery level indicator
- Built-in auto shut-off
- Two hour recharge time
- Built-in 130 lumen light
- Multiple air connection options
- Rechargeable with USB-C



A compact, rechargeable portable inflator with a built-in lithium battery. Perfect for vacations or long bike rides.











( o









Millert#ch

# Cordless Tire Inflator

Item #C-720-C (DEW/MILW)

Retail: **\$99.00** (Excludes battery)

- Compatible with DeWalt or Milwaukee tool batteries
- · Smart automatic shut-off
- · Lightweight, portable design
- LCD backlit monitoring screen
- Automatic led light for use after dark
- Multiple air connection options
- 160 PSI max pressure





Attention Retailers

Packaged in high-quality full-color boxes and ready for your shelves!









# Miller tich



**Rechargeable Cordless Pet Series Clipper** 

Item #PC-600 Retail: **\$99.99** 

• 5 Lengths in 1 blade: #9 (2.0mm), #10 (1.8mm), #15 (1.5mm), #30 (0.8mm), #40 (0.6mm)

- Battery indicator
- 2-Speed
- · Lithium battery power
- Runtime: 4hours, Charge time: 4 hours
- USB charging cord Included

Whisper-Quiet Technology

A powerful way to

cats, ponies, and











### **Attention Retailers**

Packaged in high-quality full-color boxes and ready for your shelves!

# Replacement Blade for PC-600

Item #PC6-R Retail: \$15.99





# **Rechargeable Cordless Multi Series Clipper**

Item #PC-800

Retail: **\$179** 

- 7.4V 2.6Ah rechargeable lithium battery pack x 2
- 4 Clip-on length attachments included: 3.0mm, 6.0mm, 9.0mm, 12mm
- Includes #10 blade (Also available for purchase: #10w (9.5mm), #10 (1.6mm), #30 (0.5mm)
- · Whisper quiet
- 2,450 strokes per minute blade speed
- · Lithium battery power



An All-In-One Clipper for Dogs, Cats, Goats, Horses and More!



**RECHARGES** 





# Replacement Parts and Accessories for PC-800 Clipper

Item#	Description	Retail
PC8-10	#10 Replacement Blade	\$19.99
PC8-10W	#10 Wide Replacement Blade	\$24.99
PC8-30	#30 Replacement Blade	\$19.99
PC8-10C	#10 (Ceramic) Replacement Blade	\$24.99
PC8-30C	#30 (Ceramic) Replacement Blade	\$24.99
PC8-RB	7.4V Replacement Battery for PC800	\$39.99
PC8-CH	Replacement Charging Base for PC800	\$17.99
PC8-DC	DC - Charging Cable Kit for PC-800 Clipper	\$24.00





# Rechargeable Cordless Professional Series Clipper

Item #PC-900 Retail: **\$229.99** 

- 10.8V 3Ah removable, rechargeable lithium batteries
- Heavy-duty rotating button to adjust blade tension

• Runtime: 1.5 hours, charge time: 1.5 hours







# Replacement Parts and Accessories for Professional Series Clipper

Item#	Description	Retail
PC9-1M	1MM Replacement Blade Set for PC-900R	\$19.99
PC9-3M	3MM Replacement Blade Set for PC-900R	\$19.99
PC9-RB	Replacement Battery for PC-900R	\$49.99
PC9-CH	Replacement Charger for PC-900R	
PC9-HD	Japanese Steel Replacement Head for PC900 Clipper (Heavy-Duty)	\$129
PC9-SHP	Sheep Clipper Head for PC-900 Clipper	\$99.99
PC9-SHPR	Replacement Blade for Sheep Clipper	\$22.99









PC9-1M

PC9-3M

PC9R-B

PC9-HD



# Rechargeable Cordless Equine Deep Tissue Massager

Item #C-791 Retail: **\$99.99** 

- Features extra-long stroke to Deep massage even the toughest muscles
- Internal rechargeable lithium battery
- Whisper quiet technology
- Three intensity levels
- Runtime: 5 7 hours, charge time: 4 hours
- Easy to adjust digital control



Includes (6) Attachment Choices







# **Cordless Chicken Coop Light with Timer**

Item #C830-C (DEW/MILW) Item #C830-M (MAKITA)

Retail: \$149.99 (Excludes battery)

- Special LEDs simulate the sun's rays
- LEDs slowly brighten to mimic the rising sun
- Compact & portable design
- Heavy-duty construction









# Wireless Meat Thermometer



Significantly improve your grilling experience.

Item #C-200 Retail: **\$129.99** 

- Monitor meat and grill temperatures for up to two types of meat
- Includes two waterproof, stainless steel, wireless probes rated up to 1,050°F
- Monitor from up to 2,000 ft. with included RF range extender
- Perfect for rotisseries
- · Millertech hassle-free one year warranty
- · Eight presets

Precision You Can Trust, Flavor You Can Taste





# "Eagle" Meat Grinder

Item #DC1832-C (DEW/MILW)
Item #DC1832-M (MAKITA)

Retail: **\$1,149** (Excludes battery)

- Easy and safe to operate
- Can be powered with the tool battery of your choice: use 1 battery or use 2 batteries for extended runtimes
- Process up to 200 lbs. of meat with (2) 5Ah batteries
- Built-in, high power 20V direct drive DC motor processes up to 5 lbs. of meat per minute
- #32 stainless steel grinder with detachable meat tray
- Integrated carry handle
- Cleans fast and easily
- · Not intended for commercial use



Makes home butchering fun again!









# The Ultimate Kitchen Machine

Millertech® Mixers are built with a heavy-duty metal body, upgraded stainless steel accessories and a fully DC-powered control system.



# **Cordless DC Stand Mixers**

Item #365-WAC (White) - 120V-AC

Retail: **\$275** 

Item #365-WC (White) - DEW/MILW Item #365-WM (White) - MAKITA Retail: **\$299** (Excludes battery)



















Now includes a NEW scraper-style mixing paddle!

Upgraded bowls with handles now available

# **Cordless DC Stand Mixers**



Item #365-RAC (Red) - 120V-AC


Retail: **\$225** 

Item #365-RC (Red) - DEW/MILW Item #365-RM (Red) - MAKITA

Retail: **\$249** (Excludes battery)







Retail: **\$275** 

Item #365-BC (Black) - DEW/MILW Item #365-BM (Black) - MAKITA Retail: \$299 (Excludes battery)



















### **Accessories for Cordless DC Stand Mixers**





#364-C









#364-7B

#364-W

#364-D

#364-S

#364-P

Item#	Description	Retail
364-7B	7 Quart Stainless Steel Mixing Bowl with Handle	\$34.99
364-C	Cover for 7 Quart Stainless Steel Mixing Bowl	\$11.99
364-W	Stainless Steel Mixer Wire Whisk	\$17.99
364-D	Stainless Steel Mixer Dough Hook	\$17.99
364-S	Stainless Steel Mixer Paddle with Silicone Scraper	\$17.99
364-P	Stainless Steel Mixer Paddle (Original)	\$17.99

# Miller*t#ch*

# Rechargeable Cordless 7-Speed Handheld Mixer

Item #367

Retail: **\$99.00** 

- Built-in high capacity 7800mAh Rechargeable lithium battery
- High speed Type-C charging
- Convenient digital display
- Freestanding design
- Adjustable speed control
- Runtime: 70 minutes (on high)



Now with 50% more power!







WARRANTY





A Huge Help in the Kitchen!



# 16 oz. Multi-Function Personal Blender

Item #B965-B (Blue) Item #B965-G (Gray) Item #B965-P (Pink) Item #B965-W (White)

Retail: **\$52.00** 

- Rechargeable via USB-C
- Blue, gray, pink and white color options



Item #B965-RC Retail: **\$15.00** 







White

Health Goals? With this blender, the possibilities are endless!

WARRANTY

- Healthy Green Smoothies
- Meal Replacement Smoothies
- Shakes
- Make Your Own Baby Food
- Chops Ice





# Ninja Blender

Item #B961-C (DEW/MILW)
Item #B961-M (MAKITA)
Retail: \$369 (Excludes battery)



- Incredible Crushing Power
- Easy Milkshakes & Smoothies

Powered by Your

- Tool Battery Choice! -










Very nice blender, works great! Best blender I ever had

- Wooster, OH











Accessories for Ninja Blender





Item #	Description	Retail
B961-KNIFE	Replacement knife for Ninja blender	\$19.99
B961-RL	Replacement lid for Ninja blender	\$19.99
B961-RP	Replacement pitcher for Ninja blender	\$89.99



# 2nd Gen "Eagle" Vacuum Sealer

Built heavier, stronger vacuum, user optional single or double wire sealing, locking handle. 100+ continuous seals without stopping.

Item #E2148 (12V) Retail: \$164 Item #E2148 DCC (DEW/MILW) Item #E2148-DCM (MAKITA) Retail: \$189 (Excludes battery)



### **Attention Retailers**

Packaged in high-quality full-color boxes and ready for your shelves!



These are one of our newer products but an extremely good seller! Very fast, semi-commercial built, made for heavier use, two vacuum pumps create quicker vacuum. These sealers come with a two year warranty. These sealers work extremely well at a fraction of the cost of other brands in a similar size. Available in 110V AC. Visual working progress. Locking handle. Removable moisture tray.

Item #E1218-AC (110V AC) Retail: \$199

Item #E1218 (12V) Retail: \$279 Item #E1218-C (DEW/MILW) Item #E1218-M (MAKITA)

Retail: **\$299** (Excludes battery)



Convenient

Cordless

**Tool Battery** Power!

The popular dual pump sealer designed to be run with DC power! Available in Milwaukee/DeWalt or 12V.



Not for

commercial

use





# **Vacuum Seal Bags**

Item #100XPINT (100 Ct. - Pint Size)

Retail: **\$22.00** 

Item #100XQT (100 Ct.- Quart Size)

Retail: \$32.00

Item #100XGAL (100 Ct. - Gallon Size)

Retail: **\$42.00** 









# Millertech Model 1648 16" Oscillating Pedestal Fan - Version 2

Item #1648-V2 Retail: **\$149** 

Cordless operation requires Fan Dock: Item #FAN-DKC (DEW/MILW) Item #FAN-DKM (MAKITA) (Sold separately on Page 101)

- · Long life brushless DC motor
- 90° oscillation
- · Energy efficient
- Six speed settings
- Six-hour timer
- Adjustable height
- Available in 12V DC, 110V AC







Magnetic Anti-Lost Remote Control






Extra Shipping Cost for Large Box

The Ultimate Cooling Experience!

# Millertech Exclusive Technology





2 individual airspeeds rotate in unison, forming strong air streams of up to 40 feet!



### **Updated Features:**

- Dual Blade Technology for higher airspeeds with less noise and power draw
- Upgraded Brushless DC Motor is now compatible with 12V 18V 24V input, eliminating the need for an inefficient converter
- Updated, molded mesh design helps control and direct the airstream, more precisely!

# **Accessories for Millertech Model 1648 Fan**

Description	Retail
1648 Blade	\$9.99
Front and Back Cover	\$20.00
Base and Bottom Post	\$30.00
	1648 Blade Front and Back Cover



# **Accessories for Millertech Model 1648 Fan**



**Wheel Kit for Millertech 1648 Fan** 

Item #170B Retail: **\$56.00** 





# Wheel Kit and 12V Battery Carrier for Millertech 1648 Fan

Item #180BB Retail: **\$69.00** 





# **Battery Compartment and Wheel Kit** for Millertech 1648 Fan

Item #190BB Retail: **\$85.00** 







Lightweight Poly Carrier lets you move your Fan and Battery with ease! Accommodates 12V Batteries up to 100Ah!



# Miller t #ch

# Falcon 7" Turbo Fan

Item #1807-C (DEW/MILW) Item #1807-M (MAKITA)

Retail: \$69.99 (Excludes battery)

- · Small footprint
- Ultra-quiet technology
- Large volume air movement
- · Efficient brushless DC motor
- Smooth speed control knob (up to 1500 rpm)
- Power draw 5W max
- Max runtime (5Ah battery):
   High = 18 hours, low = 140+ hours



Compact Folding Design







Tested and Proven Super Efficient!



# E-Wind 12" Oscillating Brushless DC Multi-Directional Fan Model #1236

Item #1236

Retail: **\$106** 

- Simultaneous (horizontal + vertical oscillation)
- Adjustable height (30.1" to 37.4")
- 12 fan speeds
- 12 hour shut-off timer
- Dual blade design
- Remote control
- Natural and night mode
- Available in 12V DC, 110V AC

Cordless operation requires Fan Dock: Item #FAN-DKC (DEW/MILW) Item #FAN-DKM (MAKITA)

(Sold separately on Page 101)







### Blow Fresh Air in and Warm Air Out at the same time!

# Miller*t#ch*

# 9" Dual Blade Window Fan

Item #99W-C Retail: **\$106** 

Cordless operation requires Fan Dock: Item #Fan-DKC (DEW/MILW) Item #Fan-DKM (MAKITA) (Sold separately on Page 101)

- DC 12-24V input
- Dual nine inch blades
- Independent blade operation
- Expandable built-in extender panels to fit 26" 36" windows
- Two stable, removable feet for table or flat surfaces



Compatible with 12V or Dew/Mil, Makita or 110V-AC







# Millert#ch

7" Rechargeable **Clip Fan** 

Item #B947 Retail: \$59.00

- Built-In 10,000 mAh battery
- Oscillating design
- USB-C rechargeable
- Can continue to run after the battery dies, by plugging into USB
- Nine hour runtime on high





I really like the fan I got from you! **Great Product!** 

- T. Yoder



# **AC-DC Adapter** (fits all fans)

Item #AC-DC Retail: **\$13.00** Input = 110V AC Output = 12VDC 2A



Item #FAN-DKC (DEW/MILW) Item #FAN-DKM (MAK) Retail: **\$19.99** 





Tired of stuffy noses and dry houses during the long winter months? We have your solution!

Convenient

Cordless Tool Battery Power!

All our Diffusers and Humidifiers can
easily be powered with our Diffuser
Accessory Kit using your favorite
Cordless Tool Battery
(Dew/Milw - Makita)



### Attention Retailers

Packaged in high-quality full-color boxes and ready for your shelves!





# Air Humidifier with **Essential Oil Trav**

Item #640-B (Brown Woodgrain) Item #640-W (Whitewash)

Retail: \$73.00

Requires Diffuser Accessory Kit: Item #610KT-C (DEW/MILW) Item #610KT-M (MAKITA) (Sold separately on Page 103)

- · Easily disassemble for cleaning
- · Convenient control knob for smooth operation
- · Built-in essential oil tray
- Power draw: 10 20 Watts
- · Water output: 180 ml hr. max
- Three liter capacity















# **Round Diffuser**

Item #620-BC (Brown) - DEW/MILW Item #620-BM (Brown) - MAKITA Item #620-WC (Whitewash) - DEW/MILW Item #620-WM (Whitewash) - MAKITA Retail: \$69.99 (Excludes battery)

- 150 Ml. capacity
- · Ultrasonic cool mist
- · Waterless auto shut-off
- Power draw: 9 watts
- Water output: 30 ml. hr.
- · Capacity: 150 ml.
- · On/off switch



**Built-in Low** Voltage Disconnect to protect your batteries!

# 7-Color LED **Essential Oil Diffuser**

Item #650-BC (Walnut Woodgrain) - DEW/MILW Item #650-BM (Walnut Woodgrain) - MAKITA Item #650-WC (Whitewash Woodgrain) - DEW/MILW Item #650-WM

(Whitewash Woodgrain) - MAKITA Retail: \$69.99 (Excludes battery)

- · 200 MI capacity
- · Beautiful woodgrain color
- · Ultrasonic cool mist
- · Waterless auto shut-off
- · Easily disassemble for cleaning





YEAR

WARRANTY







# Attention Retailers

Packaged in high-quality full-color boxes and ready for your shelves!



# Millertich Essential Oil Diffusers



# **Square White Diffuser**

Item #630-W Retail: \$43.00

Requires Diffuser Accessory Kit (Sold below)

- 7 Color LED light display
- 200 Ml. capacity
- · Ultrasonic cool mist
- · Waterless auto shut-off
- Power draw: 9 watts
- Water output: 60 ml. hr. · Capacity: 200 ml.







Innovation in Cold Air Diffusing. The nebulizing technology releases micro nanoparticles into the air, providing lasting, evenly distributed fragrance without sediments.

# **Cold Air - Nebulizing Waterless Diffuser**

Item #650-C (DEW/MILW) Item #650-M (MAKITA)

Retail: **\$189** (Excludes battery)

Item #650-AC (120V Electric) Retail: \$179 Item #650-DC (12V DC) Retail: \$179

- For spaces up to 1,000 sq. ft.
- · Adjustable scent intensity
- · Smart touch control panel
- · Easy refill no water required
- · Whisper quiet
- · 120ml essential oil bottle included





### Attention Retailers

Packaged in high-quality full color boxes Ready for your shelves!



Millertech

# **Diffuser Accessory Kit**

Item #610KT-C (DEW/MILW) Item #610KT-M (MAKITA)

Retail: **\$26.99** 

- Built-in switch for easy on/off
- 24V Output up to 30 watts
- · Low voltage shut-off
- · Slim, compact design
- Included extension cord lets you hide your battery under a cabinet or shelf



Our Accessory Kit should work with any 24V Diffuser

# 12V to 24V 1A Soft Start **Diffuser Board Kit**

Item #12-24V1A Retail: \$24.00



This kit creates a simple solution for powering a 24V Diffuser from a 12V Battery or a 8D Battery Pack (Millertech Item #402R)

# Millert#ch

# 1.5 Liter Humidifier/Diffuser

Item #B915-B (Walnut)
Item #B915-M (Marble)
Item #B915-W (White)

Retail: **\$73.00** (Excludes battery)

Requires Diffuser Accessory Kit: Item #610KT-C (DEW/MILW) Item #610KT-M (MAKITA) (Sold separately on Page 103)

The Perfect Solution for...

- Dry Homes in Winter
- Stuffy Noses & Etc.
- High Moisture



Use as a Diffuser by simply adding Essential Oils directly to the water!













Powered by Your
—— Tool Battery Choice!







7 Mood Enhancing Lights - Choose the perfect light to assist with your mood.




# Miller t#ch

# Rechargeable **Closet/Cabinet** Lights

Item #B908 (8") Retail: \$25.00 Item #B9016 (16") Retail: \$35.00













# Miller tiech

# Rechargeable **Hand Warmer**

Item #B940

Retail: **\$39.00** 

Long lasting, built-in battery rechargeable via USB. There are three heat settings and a USB port for charging other devices.

- · Perfect for hunting and fishing
- Construction work
- · Buggy rides



Perfect for carrying in your pocket. Also features a flashlight, and vibrating function which is ideal for sore muscles. The heat will help ease stomach cramps. The hottest setting is 104° F. Lowest setting is 100° F.





# "Venture" Iron

Item #DC18-Venture C (DEW/MILW)
Item #DC18-Venture M (MAKITA)

Retail: **\$388** (Excludes battery)

• Easy and safe to operate

• Can be powered with 18-20V DC DeWalt or Milwaukee tool battery

· Adjustable temperature control with on/off switch

• 450° maximum temperature

 Cooling vents and aluminum heat sink to prevent overheating

 Compact and ergonomic design (9" long x 4" wide x 7" high without battery)

The Venture Iron is manufactured by Quality Plastics LLC.

For all warranty requests please contact manufacturer directly at 330-695-5920

"Ironing shouldn't be a chore!"





# **Head Covering Iron**

Item #C202-C (DEW/MILW)
Item #C202-M (MAKITA)

Retail: **\$149.99** (Excludes battery)

Keeping a head covering crisp and neat is a sign of care, but a standard household iron is too large and clumsy for such delicate work. This Head Covering Iron is thoughtfully designed for the specific task of pressing a woman's cap, ensuring every pleat is perfect and every string is smooth.

Aluminum and stainless steel construction

 Powered with 18-20V DC DeWalt or Milwaukee tool battery

• Steady, gentle heat

· Ergonomic handle stays cool to the touch

· Heat indicator light



# Miller*tiech*

# **Cordless Vacuum Cleaner**

Item #B920-C (DEW/MILW) Item #B920-M (MAKITA) Retail: **\$289** (Excludes battery)

- Three attachment choices
- · Five speed settings
- Integrated LED headlights for dark corners
- Intelligent LED display control panel
- Anti-tangle power brush head
- Full-flex steering technology for a faster finish

- Hardwood Floors
- · Many more surface and floor types









Converts to handheld vacuum with tools for hard-to-reach spaces and precise cleaning



Cleaner head



Crevice tool



Combo tool (wide nozzle and brush)



# A quicker clean for:

- Carpets & Furniture



### Powered by Your Tool Battery Choice!







# Miller tich

# **Arc Massager**

Item #B932 Retail: **\$129** 

- Three head attachments
- · Five speed levels
- · Low noise
- Up to four hours runtime on one charge
- 30 minute auto shut-off
- · Long handle with 120° arc design to make reaching the problem areas easier









Round head



Fork head



Flat head

# Miller*tich*

Rechargeable Cordless Professional Deep Tissue Massager

Item #B928 Retail: **\$129** 

- With heat and cold therapy
- 30 speed settings
- · LCD touchscreen control and battery gauge
- Internal rechargeable lithium battery
- · Whisper quiet technology
- · Recharge with included AC charger






Therapy

Heat







Incredible pulsating relief for those hard to reach muscles!

# 12V DC Charger

(compatible with Items #B928 & #B930)

Item #B929 Retail: **\$27.99** 





Item #B930 Retail: **\$129** 

- Easy heat on/off
- Multiple massage direction choices
- · Built in lithium-ion battery
- 2.5 hour runtime per charge
- Rechargeable with 110V electric
- · Storage bag included





Relax Stiff Muscles Wherever You Are!











Strength Levels! Tailor each massage with to your liking



# NEW from Millert Ech Personalized Laser Engraving

Great Team Gift!


Million

# Headlamp/ Flashlight

Item #560-ENG (Engraving)
Item #560-ST (Setup)









\$8 (Plus a one-time setup charge of \$10)

# **Hand Mixer**

Item #367-ENG (Engraving)
Item #367-ST (Setup)

# \$15 (Plus a one-time setup charge of \$20)

### **Stand Mixer**

Item #365-ENG (Engraving)
Item #365-ST (Setup)



Should you need to replace your engraved product during the warranty period, Millertech will not be responsible for the cost of engraving the replaced product.

# **Laser Engraving Fonts**

Miller
Arial
Bold
001

### Miller Baguet Script 002

### Miller Baskerville Old Face 003

011

### Miller Bernard MT Condensed 004



Miller Dreaming Outloud Script 006



007



800



МT

009



010

Miller Lemon Lucida Milk Handwriting

Miller Madina

012

Sky 013

Miller Monotype Corsiva

014

Miller Regaled

015

Miller Segoe Script 016

# **Laser Engraving Design Library**



















508



501















































































931









935













932








943





























958















965

957



966



967



968

































805











didnit → PLAN ON ► **GETTING OUT** of the con 711

**♥I'M NOT** 









Sonnenschein





responsible FOR WHAT MY Face does when you } talk { 712

DIE GEHEIME ZUTAT IST

iebse







801 DAS 🚆 1 essen (heer











806



807







# **Inspirational**













106



107

**EVERY** 

day

is a

<del>></del>NEW→



108





**BEGIN** 

each new

day

with a

**GRATEFUL** 

**HEART** 



CHANCE made us Sistris HEARTS

made us

Trisends



be still

(oa



I am **FEARFULLY** AND WONDERFULLY made psalm 139:14 114





adventure 115 a **HEART** full of thankfulness & becomes a life full of











120









ŏ

D

all the time

124





























**BE STRONG** courageous FOR THE LORD YOUR GOD WHEREVER YOU GO 147

































171



172

























